

SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

1. Identification

Product identifier

Product No.:	Product name:	Common name(s), synonym(s)
367080	Tube SST PLH 13X100mm	BD Vacutainer® SST™ Blood Collection
307909	5.0ml SLBL Gold	Tubes
267096	Tube SST PLH 13X100mm	BD Vacutainer® SST™ Blood Collection
307900	5.0ml PLBL Gold	Tubes
269012	Tube SST PLH 13X100mm	BD Vacutainer® SST™ Blood Collection
300013	5.0ml BRC GOLD	Tubes

Recommended restrictions

Recommended use: Scientific and industrial laboratory use. For In Vitro Diagnostic Use.

Restrictions on use: For External Use Only

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name:	BD, Integrated Diagnostic Solutions
Address:	1 Becton Drive
	Franklin Lakes, NJ 07417
	USA

Telephone:	1 800 631 0174
Fax:	1 201 847 4866
Contact Person:	Technical Services
E-mail:	productcomplaints@bd.com

Emergency telephone number: CHEMTREC 1 800 424 9300 SDS US



2. Hazard(s) identification

Hazard Classification

Health Hazards

Carcinogenicity

Category 1A

Label Elements

Hazard Symbol:



Signal W Hazard S	ord: Statement:	Danger H350: May cause cancer.
Precautic Statemer	onary nts	
Preventio	on:	P201: Obtain special instructions before use.P202: Do not handle until all safety precautions have been read and understood.P280: Wear protective gloves/protective clothing/eye protection/face protection.
Respons	e:	P308+P313: IF exposed or concerned: Get medical advice/attention.
Storage:		P405: Store locked up.
Disposal	:	P501: Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.
Other hazards wh result in GHS cla	hich do not ssification:	None.

3. Composition/information on ingredients



Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
Silane, dichlorodimethyl-, reaction products with silica	No data available.	68611-44-9	4.1927%
Quartz (SiO2)	No data available.	14808-60-7	0.1388%
Titanium oxide (TiO2)	No data available.	13463-67-7	0.0171%
Aluminum oxide (Al2O3)	No data available.	1344-28-1	0.0015%
Iron oxide (Fe2O3)	No data available.	1309-37-1	0.0001%
Benzene, methyl-	No data available.	108-88-3	0.44PPM

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Description of first aid measures	
General information:	Get medical attention if symptoms occur. May cause cancer.
Inhalation:	Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.
Skin Contact:	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur.
Eye contact:	Important! Immediately rinse with water for at least 15 minutes. Get medical attention if symptoms occur.
Ingestion:	Rinse mouth thoroughly. Seek medical advice.
Personal Protection for First-aid Responders:	No data available.
Most important symptoms and effects, I Symptoms:	both acute and delayed No data available.
Hazards:	Low hazard for recommended handling by trained personnel.



Indication of immediate medical attention and special treatment needed

rreatment.	Т	re	a	tm	ıe	nt:	
------------	---	----	---	----	----	-----	--

Get medical attention if symptoms occur.

materials. Wear self-contained breathing apparatus and

5. Fire-fighting measures

General Fire Hazards:	No unusual fire or explosion hazards noted.		
Suitable (and unsuitable) extinguishir Suitable extinguishing media:	ng media Water spray, fog, CO2, dry chemical, or alcohol resistant foam.		
Unsuitable extinguishing media:	None known.		
Special hazards arising from the substance or mixture:	None known.		
Special protective equipment and precautions for fire-fighters			
Special fire-fighting procedures:	No unusual fire or explosion hazards noted.		
Special protective equipment for fire-	Use fire-extinguishing media appropriate for surrounding		

protective clothing.

fighters:

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Use personal protective equipment. Avoid contact with spilled material. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Accidental release measures:	No data available.
Methods and material for containment and cleaning up:	Sweep or scoop up and remove. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Environmental Precautions:	Do not release into the environment.



7. Handling and storage

Handling	
Technical measures: No data availa	ble.
Local/Total ventilation: No data availa	ble.
Safe handling advice: Wear appropr hazard for rec	ate personal protective equipment. Low ommended handling by trained personnel.
Contact avoidance measures: No data availa	ble.
Storage	
Safe storage conditions: Keep contained place. Keep in	ers tightly closed. Keep the container in a safe a cool, well-ventilated place.
Safe packaging materials: No data availa	ble.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
Silane, dichlorodimethyl-, reaction products with silica	AN ESL	0.27 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	ST ESL	14 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	TWA	0.8 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
	TWA	20 millions of particles	US. OSHA Table Z-3 (29 CFR 1910.1000), as



		per cubic foot of air	amended
Silane, dichlorodimethyl-, reaction products with silica - Respirable particles.	TWA	3 mg/m3	US. ACGIH Threshold Limit Values, as amended
Silane, dichlorodimethyl-, reaction products with silica - Inhalable particles.	TWA	10 mg/m3	US. ACGIH Threshold Limit Values, as amended
Silane, dichlorodimethyl-, reaction products with silica	REL	6 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	IDLH	3,000 mg/m3	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended
Silane, dichlorodimethyl-, reaction products with silica - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Silane, dichlorodimethyl-, reaction products with silica - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	15 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended
Silane, dichlorodimethyl-, reaction products with silica - Respirable fraction.	TWA	5 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended
	TWA PEL	5 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended
Silane, dichlorodimethyl-, reaction products with silica - Total dust.	TWA PEL	10 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended
	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
Silane, dichlorodimethyl-, reaction products with silica - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
Silane, dichlorodimethyl-, reaction products with silica - Total dust.	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended



Quartz (SiO2) - Respirable dust.	TWA	0.1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	0.1 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended
Quartz (SiO2)	AN ESL	0.27 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	ST ESL	14 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
Quartz (SiO2) - Respirable dust.	TWA PEL	0.1 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended
Quartz (SiO2) - Total dust.	TWA PEL	0.3 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended
Quartz (SiO2) - Respirable dust.	REL	0.05 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Quartz (SiO2) - Respirable.	TWA	0.1 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
	TWA	2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
Quartz (SiO2) - Respirable dust.	OSHA_AC T	0.025 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended
	TWA	0.05 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended
Quartz (SiO2) - Respirable dust.	PEL	0.05 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Quartz (SiO2)	IDLH	50 mg/m3	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended
Quartz (SiO2) - Respirable fraction.	TWA	0.025 mg/m3	US. ACGIH Threshold Limit Values, as amended
Titanium oxide (TiO2) - Respirable fraction.	TWA	1 mg/m3	US. ACGIH Notice of Intended Changes (NIC) to Threshold Limit Values, as amended
Titanium oxide (TiO2) - Total dust.	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	10 mg/m3	US. Tennessee. OELs. Occupational Exposure



			Limits, Table Z1A, as amended
Titanium oxide (TiO2)	ST ESL	50 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	AN ESL	5 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
Titanium oxide (TiO2) - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Titanium oxide (TiO2)	IDLH	5,000 mg/m3	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended
Titanium oxide (TiO2) - Respirable finescale particles	TWA	2.5 mg/m3	US. ACGIH Threshold Limit Values, as amended
Titanium oxide (TiO2) - Respirable nanoscale particles	TWA	0.2 mg/m3	US. ACGIH Threshold Limit Values, as amended
Aluminum oxide (Al2O3) - Total dust.	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Aluminum oxide (Al2O3) - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Aluminum oxide (Al2O3) - Total dust.	TWA	10 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended
Aluminum oxide (Al2O3) - Respirable fraction.	TWA	5 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended
Aluminum oxide (Al2O3)	AN ESL	5 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	ST ESL	50 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
Aluminum oxide (Al2O3) - Respirable fraction.	TWA PEL	5 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended
Aluminum oxide (Al2O3) - Total dust.	TWA PEL	10 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended
Aluminum oxide (Al2O3) - Respirable fraction.	TWA	1 mg/m3	US. ACGIH Threshold Limit Values, as amended
Aluminum oxide (Al2O3) -	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as



Total dust.			amended
Aluminum oxide (Al2O3) - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Aluminum oxide (Al2O3) - Total dust.	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
Aluminum oxide (Al2O3) - Respirable fraction.	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
Aluminum oxide (Al2O3) - Respirable particles.	TWA	3 mg/m3	US. ACGIH Threshold Limit Values, as amended
Aluminum oxide (Al2O3) - Inhalable particles.	TWA	10 mg/m3	US. ACGIH Threshold Limit Values, as amended
Iron oxide (Fe2O3) - Fume.	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	10 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended
Iron oxide (Fe2O3)	ST ESL	50 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	AN ESL	5 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
Iron oxide (Fe2O3) - Fume.	TWA PEL	5 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended
Iron oxide (Fe2O3) - Respirable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended
Iron oxide (Fe2O3) - Dust and fume as Fe	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Iron oxide (Fe2O3) - Fume.	PEL	10 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended



Iron oxide (Fe2O3) - Respirable fraction.	TWA		15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
Iron oxide (Fe2O3) - Total dust.	TWA		15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
	TWA		50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
Iron oxide (Fe2O3) - Respirable fraction.	TWA		5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
Iron oxide (Fe2O3)	IDLH		2,500 mg/m3	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended
Benzene, methyl-	ST ESL		640 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	AN ESL		1,200 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	ST ESL		170 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	AN ESL		330 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended
	REL	100 ppm	375 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	STEL	150 ppm	560 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	IDLH	500 ppm		US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended
	TWA	100 ppm	375 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	150 ppm	560 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	Ceiling	300 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended



MAX. CONC	500 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
TWA	200 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
TWA	100 ppm	375 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended
STEL	150 ppm	580 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended
Ceiling	500 ppm		US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended
STEL	150 ppm	560 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended
TWA PEL	10 ppm	37 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended
LEL		1.1 %	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended

Please refer to the latest edition of the appropriate source text and consult an industrial hygienist or similar professional, or local agencies, for further information.

Biological Limit Values

Chemical name	Parameters / Sampling Time	Exposure Limit Values	Source
Benzene, methyl-	o-Cresol, with hydrolysis Sampling time: End of shift.	0.3 mg/g (Creatinine in urine)	ACGIH BEI
	toluene Sampling time: End of shift.	0.03 mg/l (Urine)	ACGIH BEI



		toluene		0.02 mg/l (Blood)	ACGIH BEI
		Sampling time: Prior to las work week.	t shift of		
Appropriate Engineering Controls		Observe good industrial hygiene practices. Low hazard for recommended handling by trained personnel.			
In	dividual protection	measures, such as	personal	protective equipment	
	Eye/face protectior	n:	Avoid cor Protective a risk of c	tact with eyes and prolong gloves and goggles must lirect contact or splash.	ed skin contact. be used if there is
SI	kin Protection				
	Hand Protection:		Material: contact.	Use suitable protective glo	ves if risk of skin
	Skin and Body Pro	tection:	No data a	vailable.	
	Respiratory Protec	tion:	No protect conditions	tion is ordinarily required us of use and with adequate	nder normal ventilation.
	Hygiene measures	:	Observe	good industrial hygiene pra	ctices.



9. Physical and chemical properties

nformation on basic physical and chemical properties Appearance		
Physical state:	Solid	
Form:	Gel	
Color:	Tan	
Odor:	Odorless	
Odor Threshold:	No data available.	
Melting Point:	No data available.	
Boiling Point:	No data available.	
Flammability:	No data available.	
Upper/lower limit on flammability or exp	losive limits	
Explosive limit - upper:	No data available.	
Explosive limit - lower:	No data available.	
Flash Point:	No data available.	
Self Ignition Temperature:	No data available.	
Decomposition Temperature:	No data available.	
pH:	No data available.	
Viscosity		
Dynamic viscosity:	Not determined.	
Kinematic viscosity:	No data available.	
Flow Time:	No data available.	
Solubility(ies)		
Solubility in Water:	No data available.	
Solubility (other):	No data available.	
Partition coefficient (n-octanol/water):	No data available.	
Vapor pressure:	No data available.	
Relative density:	No data available.	
Density:	No data available.	
Bulk density:	No data available.	
Vapor density (air=1):	No data available.	



Other information

No data available

10. Stability and reactivity

Reactivity:	Material is stable under normal conditions.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Material is stable under normal conditions.
Conditions to avoid:	None under normal conditions.
Incompatible Materials:	None under normal conditions.
Hazardous Decomposition Products:	Material is stable under normal conditions.

11. Toxicological information

Information on toxicological effects

Inhalation:	Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Prolonged breathing of high levels of crystalline silica can cause silicosis. Also, airborne crystalline silica is possibly carcinogenic to humans.	
Skin Contact:	Due to the small packaging the risk of skin contact is minimal.	
Eye contact:	Due to the small packaging the risk of eye contact is minimal.	
Ingestion:	Due to the small packaging the risk of ingestion is minimal.	
Symptoms related to the physical, chemical and toxicological characteristics		
Inhalation:	No specific symptoms noted.	
Skin Contact:	Skin irritation is not anticipated when used normally.	
Eye contact:	No specific symptoms noted.	



Ingestion:

No specific symptoms noted.

Information on likely routes of exposure

Acute toxicity (list all possible routes of exposure)

Oral	
Product:	Not classified for acute toxicity based on available data.
Silane, dichlorodimethyl-, reaction products with silica	No data available.
Quartz (SiO2)	No data available.
Titanium oxide (TiO2)	No data available.
Aluminum oxide (Al2O3)	No data available.
Iron oxide (Fe2O3)	No data available.
Benzene, methyl-	No data available.
Dermal	
Product:	Not classified for acute toxicity based on available data.
Components:	N N N N N N N N N N
Silane, dichlorodimethyl-, reaction products with silica	No data available.
Quartz (SiO2)	No data available.
Titanium oxide (TiO2)	No data available.
Aluminum oxide (Al2Ó3)	No data available.
Iron oxide (Fe2O3)	No data available.
Benzene, methyl-	No data available.
Inhalation	
Product:	Not classified for acute toxicity based on available data.
Components:	
Silane, dichlorodimethyl-, reaction products with silica	No data available.
Quartz (SiO2)	No data available.
Titanium oxide (TiO2)	No data available.
Aluminum oxide (Al2O3)	No data available.
Iron oxide (Fe2O3)	No data available.
Benzene, methyl-	No data available.
Repeated dose toxicity	
Product:	No data available.
Components:	NI 17 911
Silane, dichlorodimethyl-, reaction products with silica	No data available.
Quartz (SiO2)	No data available.



Titanium oxide (TiO2)	NOAEL (Rat(Female, Male), Inhalation): 5 mg/m3 Experimental result, Supporting study Inhalation NOAEL (Rat(female), Inhalation): 0.52 mg/m3 Experimental result, Supporting study Inhalation NOAEL (Rat(Male), Inhalation): 5 mg/m3 Experimental result, Supporting study Inhalation NOAEL (Mouse(female), Inhalation): 9.5 mg/m3 Experimental result, Supporting study Inhalation NOAEL (Rat(Female, Male), Inhalation): 10 mg/m3 Experimental result,
Aluminum oxide (Al2O3)	LOAEL (Rat(Male), Inhalation): 28 mg/m3 Read-across from supporting substance (structural analogue or surrogate), Supporting study
Iron oxide (Fe2O3)	NOAEL (Rat(Male), Inhalation): 10.1 mg/m3 Read-across based on grouping of substances (category approach), Key study Inhalation NOAEL (Rat(Female, Male), Inhalation): 4.7 mg/m3 Read-across based on grouping of substances (category approach), Key study Inhalation
Benzene, methyl-	LOAEL (Rat(Female, Male), Inhalation, 26 Weeks): 1,500 ppm(m) Not specified, Not specified Inhalation LOAEL (Rat(Female, Male), Inhalation): 600 ppm(m) Experimental result, Key study Inhalation NOAEL (Rat(Female, Male), Inhalation): 300 ppm(m) Experimental result, Key study Inhalation LOAEL (Rat(Female, Male), Inhalation): 4,710 mg/m3 Experimental result, Key study Inhalation NOAEL (Rat(Female, Male), Inhalation): 4,710 mg/m3 Experimental result, Key study Inhalation NOAEL (Rat(Female, Male), Inhalation, 26 Weeks): 100 ppm(m) Not specified, Not specified Inhalation
Skin Corrosion/Irritation	
Product:	No data available.
Components:	
Silane, dichlorodimethyl-, reaction products with silica	No data available.
Quartz (SiO2)	No data available.
Titanium oxide (TiO2)	No data available.
Aluminum oxide (Al2O3)	No data available.
Iron oxide (Fe2O3)	No data available.
Benzene, methyl-	No data available.
Serious Eye Damage/Eye Irr	itation
Product:	No data available.
Components:	
Silane, dichlorodimethyl-, reaction products with silica	No data available.
Quartz (SiO2)	No data available.



Titanium oxide (TiO2)	Minimal irritant in vivo , Rabbit, 24 hrs: EU Minimal irritant in vivo Rabbit, 48 - 72 hrs: EU Minimal irritant in vivo Rabbit, 24 - 72 hrs: EU Minimal irritant in vivo Rabbit, 1 hrs: EU Not irritant in vivo Rabbit, 1 hrs: EU Not irritant in vivo Rabbit, 24 hrs: EU Not irritant in vivo Rabbit, 24 - 72 hrs: EU Not irritant in vivo Rabbit, 48 - 72 hrs: EU
Aluminum oxide (Al2O3)	Not irritant in vivo , Rabbit, 24 - 72 hrs: EU Not irritant in vivo Rabbit, 24 hrs: EU Not irritant in vivo Rabbit, 48 - 72 hrs: EU Not irritant in vivo Rabbit, 24 hrs: EU
Iron oxide (Fe2O3) Benzene, methyl-	No data available. No data available.
Respiratory or Skin Sensitiza	ation
Product: Components:	No data available.
Silane, dichlorodimethyl-, reaction products with silica	No data available.
Quartz (SiO2) Titanium oxide (TiO2)	No data available. Skin sensitization:, in vivo/in vitro (Guinea pig): Non sensitising Skin sensitization:, In vitro (Mouse): Non sensitising
Aluminum oxide (Al2O3) Iron oxide (Fe2O3) Benzene, methyl-	Skin sensitization:, in vivo (Guinea pig): Non sensitising No data available. Skin sensitization:, in vivo (Guinea pig): Non sensitising
Carcinogenicity	
Product: Components:	No data available.
Silane, dichlorodimethyl-, reaction products with silica	No data available.
Quartz (SiO2)	No data available.
Litanium oxide (TiO2)	No data available. No data available
Iron oxide (Fe2O3)	No data available.
Benzene, methyl-	No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Quartz (SiO2) Overall evaluation: 1. Carcinogenic to humans.

ACGIH: US.ACGIH Threshold Limit Values:

Quartz (SiO2)

Hazard Designation: Group A2. Suspected human carcinogen.

US. National Toxicology Program (NTP) Report on Carcinogens:



Quartz (SiO2)

Known To Be Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

Quartz (SiO2)	Cancer
Germ Cell Mutagenicity In vitro	
Product: Components:	No data available.
Silane, dichlorodimethyl-, reaction products with silica	No data available.
Quartz (SiO2)	No data available.
Titanium oxide (TiO2)	No data available.
Aluminum oxide (Al2O3)	No data available.
Iron oxide (Fe2O3)	No data available.
Benzene, metnyi-	No data avaliable.
In vivo	.
Product:	No data available.
Silane dichlorodimethyl-	No data available
reaction products with	
silica	
Quartz (SiO2)	No data available.
Litanium oxide (1102)	No data available.
Aluminum oxide (Al2O3)	No data available.
Ronzono mothyl	No data available.
Berizene, meuryi-	NO Gala available.
Reproductive toxicity	No data available
Floduci. Components:	no dala avaliable.
Silane, dichlorodimethyl-, reaction products with silica	No data available.
Quartz (SiO2)	No data available.
Titanium oxide (TiO2)	No data available.
Aluminum oxide (Al2O3)	No data available.
Iron oxide (Fe2O3)	No data available.
Benzene, methyl-	No data available.
Specific Target Organ Toxic Product: Components:	ity - Single Exposure No data available.
Silane, dichlorodimethyl-, reaction products with silica	No data available.
Quartz (SiO2)	No data available.



Titanium oxide (TiO2) Aluminum oxide (Al2O3) Iron oxide (Fe2O3) Benzene, methyl-	No data available. No data available. No data available. No data available.
Specific Target Organ Toxic Product: Components:	ity - Repeated Exposure No data available.
Silane, dichlorodimethyl-, reaction products with silica	No data available.
Quartz (SiO2)	No data available.
Titanium oxide (TiO2)	No data available.
Aluminum oxide (Al2Ó3)	No data available.
Iron oxide (Fe2O3)	No data available.
Benzene, methyl-	No data available.
Aspiration Hazard	
Product:	No data available.
Components:	
Silane, dichlorodimethyl-, reaction products with silica	No data available.
Quartz (SiO2)	No data available.
Titanium oxide (TiO2)	No data available.
Aluminum oxide (Al2O3)	No data available.
Iron oxide (Fe2O3)	No data available.
Benzene, methyl-	No data available.
Information on health hazard	ds

Other hazards	
Product:	No data available.

12. Ecological information

Ecotoxicity: Acute hazards to the aquatic environment:	
Fish Product: Components:	No data available.
Silane, dichlorodimethyl- , reaction products with	No data available.

silica



Quartz (SiO2)	No data available.
Titanium oxide (TiO2)	EC 50 (96 h): > 9,051 mg/l Experimental result, Not specified NOAEL (Oncorhynchus mykiss, 96 h): >= 100 mg/l Experimental result, Weight of Evidence study LC 50 (Pimephales promelas, 96 h): > 1,000 mg/l Experimental result, Weight of Evidence study LC 50 (Cyprinodon variegatus, 96 h): > 240 - < 370 mg/l Experimental result, Not specified NOAEL (Pimephales promelas, 96 h): >= 1,000 mg/l Experimental result, Weight of Evidence study
Aluminum oxide (Al2O3)	LC 50 (Pimephales promelas, 96 h): 35 mg/l Experimental result, Weight of Evidence study LC 50 (Oncorhynchus mykiss, 96 h): 14.6 mg/l Experimental result, Weight of Evidence study
Iron oxide (Fe2O3)	LC 50 (Pimephales promelas, 96 h): 14.4 mg/l Experimental result, Supporting study LC 50 (Oncorhynchus mykiss, 96 h): 18.29 mg/l Experimental result, Supporting study LC 0 (Danio rerio, 96 h): >= 50,000 mg/l Experimental result, Key study LC 50 (Lepomis macrochirus, 96 h): 20 mg/l Experimental result, Supporting study
Benzene, methyl-	LC 50 (Pimephales promelas, 96 h): 33.9 mg/l LC 50 (Fathead minnow (Pimephales promelas), 96 h): 21 - 34 mg/l Mortality LC 50 (Oncorhynchus kisutch, 96 h): 5.5 mg/l Experimental result, Key study
Aquatic Invertebrates	
Product: Components:	No data available.
Silane, dichlorodimethyl- , reaction products with silica	No data available.
Quartz (SiO2) Titanium oxide (TiO2) Aluminum oxide (Al2O3) Iron oxide (Fe2O3) Benzene, methyl-	No data available. EC 50 (Water flea (Daphnia magna), 48 h): > 1,000 mg/l Intoxication No data available. No data available. No data available.
Toxicity to Aquatic Plants	
Product:	No data available.
Silane, dichlorodimethyl-, reaction products with	No data available.





silica

Quartz (SiO2) Titanium oxide (TiO2) Aluminum oxide (Al2O3) Iron oxide (Fe2O3) Benzene, methyl-	No data available. No data available. No data available. No data available. No data available.
Toxicity to microorganisms	
Product:	No data available.
Components:	
Silane, dichlorodimethyl-,	No data available.
reaction products with	
silica	
Quartz (SiO2)	No data available.
Titanium oxide (TiO2)	No data available.
Aluminum oxide (Al2O3)	No data available.
Iron oxide (Fe2O3)	No data available.
Benzene, methyl-	No data available.

Chronic hazards to the aquatic environment:

Fish

Product:	No data available.
Components:	
Silane, dichlorodimethyl- , reaction products with silica	No data available.
Quartz (SiO2)	No data available.
Titanium oxide (TiO2)	No data available.
Aluminum oxide (Al2O3)	No data available.
Iron oxide (Fe2O3)	No data available.
Benzene, methyl-	No data available.
Aquatic Invertebrates	
Product:	No data available.
Components:	
Silane, dichlorodimethyl- , reaction products with silica	No data available.
Quartz (SiO2)	No data available.
Titanium oxide (TiO2)	No data available.
Aluminum oxide (Al2O3)	No data available.
Iron oxide (Fe2O3)	No data available.
Benzene, methyl-	No data available.
Toxicity to Aquatic Plants Product: Components:	No data available.

Silane, dichlorodimethyl-, No data available.





reaction products with silica	
Quartz (SiO2)	No data available.
Titanium oxide (TiO2)	No data available.
Aluminum oxide (Al2O3)	No data available.
Iron oxide (Fe2O3)	No data available.
Benzene, methyl-	No data available.
_ , ,	
I oxicity to microorganisms	
Product:	No data available.
Components:	
Silane, dichlorodimethyl-,	No data available.
reaction products with	
silica	
Quartz (SiO2)	No data available.
Titanium oxide (TiO2)	No data available.
Aluminum oxide (Al2O3)	No data available.
Iron oxide (Fe2O3)	No data available.
Benzene, methyl-	No data available.

Persistence and Degradability

Biodegradation Product: Components:	No data available.
Silane, dichlorodimethyl-, reaction products with silica	No data available.
Quartz (SiO2)	No data available.
Titanium oxide (TiO2)	No data available.
Aluminum oxide (Al2O3)	No data available.
Iron oxide (Fe2O3)	No data available.
Benzene, methyl-	 73 % Experimental result, Weight of Evidence study Detected in water. 86 % Experimental result, Weight of Evidence study Detected in water. 53 % Experimental result, Weight of Evidence study Detected in water. 100 % (4 d) Not specified, Not specified Detected in water. 70 % Experimental result, Weight of Evidence study Detected in water.
BOD/COD Ratio Product: Components:	No data available.
Silane, dichlorodimethyl-, reaction products with silica	No data available.



Quartz (SiO2) Titanium oxide (TiO2) Aluminum oxide (Al2O3) Iron oxide (Fe2O3) Benzene, methyl-	No data available. No data available. No data available. No data available. No data available.
Bioaccumulative potential	
Bioconcentration Factor (BC Product: Components: Silane, dichlorodimethyl-, reaction products with silica	CF) No data available. No data available.
Quartz (SiO2) Titanium oxide (TiO2)	No data available. Oncorhynchus mykiss, Bioconcentration Factor (BCF): 19 Experimental result, Key study Aquatic sediment Oncorhynchus mykiss, Bioconcentration Factor (BCF): 67 Experimental result, Key study Aquatic sediment Oncorhynchus mykiss, Bioconcentration Factor (BCF): 20 Experimental result, Key study Aquatic sediment Cyprinus carpio, Bioconcentration Factor (BCF): 74 Experimental result, Supporting study Aquatic sediment Oncorhynchus mykiss, Bioconcentration Factor (BCF): 34 - 352 Experimental result, Key study Aquatic sediment
Aluminum oxide (Al2O3) Iron oxide (Fe2O3) Benzene, methyl-	No data available. No data available. No data available.
Partition Coefficient n-octan Product:	i ol / water (log Kow) No data available.
Components: Silane, dichlorodimethyl-, reaction products with silica	No data available.
Quartz (SiO2) Titanium oxide (TiO2) Aluminum oxide (Al2O3) Iron oxide (Fe2O3) Benzene, methyl-	No data available. No data available. No data available. No data available. Log Kow: 2.73
Mobility in soil:	
Product Components: Silane, dichlorodimethyl-, reaction products with silic	No data available. No data available. a



Aluminum oxide (Al2O3)	No data available.
Iron oxide (Fe2O3)	No data available.
Benzene, methyl-	No data available.

Results of PBT and vPvB assessment:

Product	No data available.
Components: Silane, dichlorodimethyl-,	No data available.
reaction products with silic	a
Quartz (SiO2)	No data available.
Titanium oxide (TiO2)	No data available.
Aluminum oxide (Al2O3)	No data available.
Iron oxide (Fe2O3)	No data available.
Benzene, methyl-	No data available.

Other adverse effects:

Other hazards	
Product:	No data available.

13. Disposal considerations

Disposal methods:	Dispose of waste and residues in accordance with local authority requirements.
Contaminated Packaging:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

14. Transport information		
DOTUN number or ID number:	Not regulated.	
UN Proper Shipping Name:	Not regulated.	
Transport Hazard Class(es)		
Class:	Not regulated.	
Label(s):	Not regulated.	
Packing Group:	Not regulated.	
Marine Pollutant:	Not regulated.	
Limited quantity	Not regulated.	
Excepted quantity	Not regulated.	
Special precautions for user:	Not regulated.	



IMDG	
UN number or ID number:	Not regulated.
UN Proper Shipping Name: Transport Hazard Class(es)	Not regulated.
Class:	Not regulated.
Subsidiary risk:	Not regulated.
EmS No.:	Not regulated.
Packing Group: Environmental Hazards	Not regulated.
Marine Pollutant:	Not regulated.
Special precautions for user:	Not regulated.
ΙΑΤΑ	
UN number or ID number:	Not regulated.
Proper Shipping Name: Transport Hazard Class(es):	Not regulated.
Class:	Not regulated.
Subsidiary risk:	Not regulated.
Packing Group: Environmental Hazards	Not regulated.
Marine pollutant:	Not regulated.
Special precautions for user:	Not regulated.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.



US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

<u>Chemical Identity</u> OSHA hazard(s)

kidney effects lung effects Cancer immune system effects

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity

BENZENE, METHYL-

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Carcinogenicity

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

None present or none present in regulated quantities.





US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

Chemical Identity

TOLUENE

US State Regulations

US. California Proposition 65



WARNING: This product can expose you to chemicals including, Quartz (SiO2), Titanium oxide (TiO2) which is [are] known to the State of California to cause cancer.

This product can expose you to chemicals including, Benzene, methyl- which is [are] known to the State of California to cause birth defects or other reproductive harm.

For more information go to www.P65Warnings.ca.gov.

International regulations

Montreal protocol Not applicable

Stockholm convention Not applicable

Rotterdam convention Not applicable



Kyoto protocol Not applicable

16.Other information, including date of preparation or last revision

Issue Date:	02/27/2023
Version #:	14.3
Further Information:	No data available.
Disclaimer:	Disclaimer:
	The information contained herein has been obtained from various sources and is believed to be correct as of the date issued. However, neither BD nor any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability for a particular use of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. BD provides SDS in electronic form so the information may be more easily accessed. Due to the possibility of errors during transmission, BD makes no representations as to the completeness or accuracy of the information.