

# AQUANOMIC 2.0 LOW TEMP LAUNDRY SOLID SOUR WITH IRON CONTROL - 3RD

# **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : AQUANOMIC 2.0 LOW TEMP LAUNDRY SOLID SOUR WITH IRON

**CONTROL - 3RD** 

Other means of identification : Not applicable

Recommended use : Laundry product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.01 % - 0.02 %

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 03/25/2019

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

**Product AS SOLD** 

Serious eye damage : Category 1

#### **Product AT USE DILUTION**

Not a hazardous substance or mixture.

#### **GHS** label elements

### **Product AS SOLD**

Hazard pictograms



Signal Word : Danger

Hazard Statements : Causes serious eye damage.

Precautionary Statements : Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

**Product AT USE DILUTION** 

Precautionary Statements : Prevention:

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

916881-07 1 / 11

# AQUANOMIC 2.0 LOW TEMP LAUNDRY SOLID SOUR WITH IRON CONTROL - 3RD

**Product AS SOLD** 

Other hazards : Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Product AS SOLD** 

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
citric acid	77-92-9	30 - 60
Dicarboxylic Acid C4-6	68603-87-2	30 - 60
sodium chloride	7647-14-5	10 - 30
Polyethylene Glycol	25322-68-3	5 - 10
ammonium chloride	12125-02-9	1 - 5

#### **Product AT USE DILUTION**

No hazardous ingredients

#### **SECTION 4. FIRST AID MEASURES**

**Product AS SOLD** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

**Product AT USE DILUTION** 

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

**Product AS SOLD** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

916881-07 2 / 11

# AQUANOMIC 2.0 LOW TEMP LAUNDRY SOLID SOUR WITH IRON CONTROL - 3RD

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx) Hydrogen chloride gas

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Product AS SOLD**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Sweep up and shovel into suitable containers for disposal.

**Product AT USE DILUTION** 

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

: No special environmental precautions required.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## **SECTION 7. HANDLING AND STORAGE**

#### **Product AS SOLD**

Advice on safe handling

: Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Conditions for safe storage

: Keep out of reach of children. Store in suitable labeled containers.

916881-07 3 / 11

# AQUANOMIC 2.0 LOW TEMP LAUNDRY SOLID SOUR WITH IRON CONTROL - 3RD

Storage temperature : -30 °C to 50 °C

**Product AT USE DILUTION** 

Advice on safe handling : Wash hands after handling. For personal protection see section 8.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Product AS SOLD**

# Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Polyethylene Glycol	25322-68-3	TWA (Aerosol.)	10 mg/m3	AIHA WEEL
ammonium chloride	12125-02-9	TWA (Fumes)	10 mg/m3	ACGIH
		STEL (Fumes)	20 mg/m3	ACGIH
		TWA (Fumes)	10 mg/m3	NIOSH REL
		STEL (Fumes)	20 mg/m3	NIOSH REL

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

#### Personal protective equipment

Eye protection : Due to the form and packaging of the product, no protective

equipment is needed under normal use conditions.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of

the eyes and body in case of contact or splash hazard.

**Product AT USE DILUTION** 

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Product AS SOLD Product AT USE DILUTION

916881-07 4 / 11

# AQUANOMIC 2.0 LOW TEMP LAUNDRY SOLID SOUR WITH IRON CONTROL - 3RD

Appearance : Cast Solid liquid

Color : opaque, tan colorless

Odor : Perfumes, fragrances not significant

pH : 2.5 - 3.0, (1 %) 5.5 - 8.0

Flash point : Not applicable, Does not sustain combustion.

Odor Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : No data available
Flammability (solid, gas) : No data available
Upper explosion limit : No data available
Lower explosion limit : No data available
Vapor pressure : No data available
Relative vapor density : No data available

Relative density : No data available

Water solubility : partly soluble
Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available
Thermal decomposition : No data available
Viscosity, kinematic : No data available
Explosive properties : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available VOC : No data available

# **SECTION 10. STABILITY AND REACTIVITY**

**Product AS SOLD** 

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Do not mix with bleach or other chlorinated products - will cause

chlorine gas.

Conditions to avoid : None known.

Incompatible materials : Bases

Metals

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as:

Carbon oxides

Nitrogen oxides (NOx) Hydrogen chloride gas

916881-07 5 / 11

# AQUANOMIC 2.0 LOW TEMP LAUNDRY SOLID SOUR WITH IRON CONTROL -3RD

#### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Eye contact, Skin contact

exposure

#### **Potential Health Effects**

**Product AS SOLD** 

Eyes : Causes serious eye damage.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION** 

: Health injuries are not known or expected under normal use. Eyes

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

#### **Experience with human exposure**

**Product AS SOLD** 

Eye contact : Redness, Pain, Corrosion

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

**Product AT USE DILUTION** 

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

**Toxicity** 

**Product AS SOLD** 

**Product** 

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg Acute inhalation toxicity : 4 h Acute toxicity estimate : 20.81 mg/l

Test atmosphere: dust/mist

916881-07 6/11

# AQUANOMIC 2.0 LOW TEMP LAUNDRY SOLID SOUR WITH IRON CONTROL -3RD

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available Reproductive effects : No data available Germ cell mutagenicity : No data available Teratogenicity : No data available STOT-single exposure : No data available

STOT-repeated exposure : No data available Aspiration toxicity : No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Product AS SOLD Ecotoxicity** 

**Environmental Effects** : Harmful to aquatic life.

**Product** 

Toxicity to fish : No data available Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Components

Toxicity to fish : citric acid

96 h LC50 Fish: > 100 mg/l

Dicarboxylic Acid C4-6

96 h LC50 Danio rerio (zebra fish): 59.5 mg/l

sodium chloride

96 h LC50 Fish: 5,840 mg/l

Polyethylene Glycol

96 h LC50 Fish: > 1,000 mg/l

Components

Toxicity to daphnia and other : Dicarboxylic Acid C4-6

aquatic invertebrates

48 h EC50 Daphnia magna (Water flea): 46 mg/l

Components

Toxicity to algae : Dicarboxylic Acid C4-6

72 h EC50 Desmodesmus subspicatus (green algae): 41.9 mg/l

Persistence and degradability

**Product AS SOLD** Readily biodegradable.

916881-07 7/11

# AQUANOMIC 2.0 LOW TEMP LAUNDRY SOLID SOUR WITH IRON CONTROL - 3RD

#### **Product AT USE DILUTION**

Not applicable - inorganic

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Product AS SOLD**

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

#### **Product AT USE DILUTION**

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

Not dangerous goods

#### Sea transport (IMDG/IMO)

Not dangerous goods

#### **SECTION 15. REGULATORY INFORMATION**

#### **Product AS SOLD**

**EPCRA - Emergency Planning and Community Right-to-Know** 

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

916881-07 8 / 11

# AQUANOMIC 2.0 LOW TEMP LAUNDRY SOLID SOUR WITH IRON CONTROL - 3RD

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
citric acid	77-92-9	Buffer	Not Applicable
Dicarboxylic Acid C4-6	68603-87-2	Buffer	Not Applicable
sodium chloride	7647-14-5	Processing Aid	Not Applicable
Polyethylene Glycol	25322-68-3	Processing Aid	Not Applicable
Carboxylate	Withheld	Cleaning Agent	Not Applicable
ammonium chloride	12125-02-9	Absorbent	Not Applicable
Ionone, methyl-	1335-46-2	Fragrance	Not Applicable
Alpha-Isomethyl Ionone	127-51-5	Fragrance	FRA
4-tert-butylcyclohexyl acetate	32210-23-4	Fragrance	Not Applicable
1,6-Octadien-3-ol, 3,7-dimethyl-,	115-95-7	Fragrance	Not Applicable
3-acetate			
Linalool	78-70-6	Fragrance	FRA
7-octen-2-ol, 2,6-dimethyl-	18479-58-8	Fragrance	Not Applicable
tetrahydro-2-isobutyl-4-	63500-71-0	Fragrance	Not Applicable
methylpyran-4-ol, mixed isomers			
(cis and trans)			
phenethyl alcohol	60-12-8	Fragrance	Not Applicable
benzyl acetate	140-11-4	Fragrance	Not Applicable
(Z)-3,4,5,6,6-Pentamethylhept-3-	81786-73-4	Fragrance	Not Applicable
en-2-one			

<sup>\*</sup>refer to ecolab.com/sds for electronic links to designated lists

# The ingredients of this product are reported in the following inventories:

#### **United States TSCA Inventory:**

On the inventory, or in compliance with the inventory

# Canadian Domestic Substances List (DSL):

This product contains one or several components listed in the Canadian NDSL.

#### Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

# New Zealand. Inventory of Chemical Substances :

On the inventory, or in compliance with the inventory

#### Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

916881-07 9 / 11

# AQUANOMIC 2.0 LOW TEMP LAUNDRY SOLID SOUR WITH IRON CONTROL - 3RD

# Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

# Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

#### China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

#### Taiwan Chemical Substance Inventory (TCSI):

On the inventory, or in compliance with the inventory

#### **SECTION 16. OTHER INFORMATION**

# Product AS SOLD NFPA:



#### HMIS III:


HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

# Product AT USE DILUTION NFPA:



#### HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Issuing date : 03/25/2019

Version : 1.2

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

916881-07 10 / 11

# AQUANOMIC 2.0 LOW TEMP LAUNDRY SOLID SOUR WITH IRON CONTROL - 3RD

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

916881-07 11 / 11