

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	SCRUB-STAT - 4 PERCENT
Other means of identification	:	Not applicable
Recommended use	:	Skin antiseptic
Restrictions on use	:	Reserved for industrial and professional use.
Product dilution information	:	Product is sold ready to use.
Company	:	Ecolab Inc. 1 Ecolab Place St. Paul, Minnesota USA 55102 1-800-352-5326
Emergency health information	:	1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)
Issuing date	:	07/05/2018

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids Eye irritation Carcinogenicity	 Category 3 Category 2A Category 2
GHS label elements	
Hazard pictograms	
Signal Word	: Warning
Hazard Statements	 Flammable liquid and vapor. Causes serious eye irritation. Suspected of causing cancer.
Precautionary Statements	 Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to

	Disposal:	-ventilated place. Keep o ntents/ container to an a	cool. Store locked up. pproved waste disposal plant.
Other hazards	: None known.		
SECTION 3. COMPOSITION/	INFORMATION OF		
Pure substance/mixture	: Mixture		
Chemical name amines, coco alkyldimethyl, n- Isopropanol Chlorhexidine gluconate Propylene glycol amides, coco, n,n-bis(hydroxyd Diethanolamine		CAS-No. 61788-90-7 67-63-0 18472-51-0 57-55-6 68603-42-9 111-42-2	Concentration (%) 1 - 5 1 - 5 1 - 5 1 - 5 1 - 5 0.1 - 1
SECTION 4. FIRST AID MEAS	SURES		
In case of eye contact	contact lenses		er for several minutes. Remove do. Continue rinsing. If eye attention.
In case of skin contact	: Rinse with plei	nty of water.	
If swallowed	: Rinse mouth.	Get medical attention if s	symptoms occur.
If inhaled	: Get medical at	tention if symptoms occ	ur.
Protection of first-aiders	: If potential for protective equi		Section 8 for specific personal
Notes to physician	: Treat symptom	natically.	
Most important symptoms and effects, both acute and delayed	: See Section 1 symptoms.	1 for more detailed infor	mation on health effects and
SECTION 5. FIRE-FIGHTING	MEASURES		
Suitable extinguishing media		ing measures that are a and the surrounding en	
Unsuitable extinguishing media	: High volume w	vater jet	
Coopific hozardo during firo	. Fire Hererd		

Specific hazards during fire fighting	Fire Hazard Keep away from heat and sources of ignition. Flash back possible over considerable distance. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Hazardous combustion products	 Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx)

Special protective equipment for fire-fighters	:	Use personal protective equipment.
Specific extinguishing methods	:	Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	:	Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
SECTION 7. HANDLING AND	S	TORAGE
Advice on safe handling	:	Avoid contact with skin and eyes. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wash hands

Conditions for safe storage	: Keep away from heat and sources of ignition. Keep in a cool, well- ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
	containers.

thoroughly after handling.

Storage temperature $: 0 \ ^{\circ}C \ to \ 30 \ ^{\circ}C$

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		STEL	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z1
Propylene glycol	57-55-6	TWA	10 mg/m3	AIHA WEEL
Diethanolamine	111-42-2	TWA (Inhalable fraction and vapor)	1 mg/m3	ACGIH

		TWA	3 ppm 15 mg/m3	NIOSH REL
Engineering measures		exhaust ventilation upational exposure	system. Maintain air co e standards.	oncentrations
Personal protective equipmer	nt			
Eye protection	: Wear eye	protection/ face pr	otection.	
Hand protection	Standard g Gloves sh	glove type.	protective equipment: and replaced if there is akthrough.	any indication of
Skin protection		protective equipme	nt comprising: suitable e clothing	protective gloves,
Respiratory protection	: No person	al respiratory prote	ective equipment norm	ally required.
Hygiene measures		•	ood industrial hygiene and any exposed skin t	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	clear, amber
Odor	:	Floral
рН	:	6.0 - 7.5, (100 %)
Flash point	:	48 °C closed cup
Odor Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1.01
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Autoignition temperature	:	No data available
Thermal decomposition	:	No data available
Viscosity, kinematic	:	No data available

Explosive properties	:	No data available
Oxidizing properties	:	No data available
Molecular weight	:	No data available
VOC	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	None known.
Hazardous decomposition products	:	Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Eye contact
exposure		

Potential Health Effects

yes	Causes serious eye irritation.			
kin	Health injuries are not known or expected under normal use.			
gestion	Health injuries are not known or expected under normal use.			
halation	Health injuries are not known or expected under normal use.			
hronic Exposure	Suspected of causing cancer.			
Experience with human exposure				
ye contact	Redness, Pain, Irritation			
kin contact	No symptoms known or expected.			
gestion	No symptoms known or expected.			
halation	No symptoms known or expected.			
gestion halation hronic Exposure xperience with human expo ye contact kin contact gestion	Health injuries are not known or expected under normal use. Health injuries are not known or expected under normal use. Suspected of causing cancer. ure Redness, Pain, Irritation No symptoms known or expected. No symptoms known or expected.			

Toxicity

Product	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg
Acute inhalation toxicity	: No data available
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg
Skin corrosion/irritation	: No data available

Serious eye damage/eye irritation	:	Eye irritation	
Respiratory or skin sensitization	:	No data available	
Carcinogenicity			
IARC		Group 2B: Possibly carcinogenic to humans	
		amides, coco, n,n-bis(hydroxyethyl) Diethanolamine	68603-42-9 111-42-2
OSHA		No component of this product present at levels of to 0.1% is on OSHA's list of regulated carcinoge	
NTP		No ingredient of this product present at levels gr 0.1% is identified as a known or anticipated card	
Reproductive effects	:	No data available	
Germ cell mutagenicity	:	No data available	
Teratogenicity	:	No data available	
STOT-single exposure	:	No data available	
STOT-repeated exposure	:	No data available	
Aspiration toxicity	:	No data available	
Ingredients			
Acute inhalation toxicity	:	Isopropanol 4 h LC50 Rat: > 30 mg/l Test atmosphere: vapor	
		Chlorhexidine gluconate LC50 Rat: 0.365 mg/l Test atmosphere: dust/mist	
		Propylene glycol 4 h LC50 Rat: > 158.5 mg/l Test atmosphere: dust/mist	

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity		
Environmental Effects	:	Very toxic to aquatic life with long lasting effects.
Product		
Toxicity to fish	:	No data available
Toxicity to daphnia and other aquatic invertebrates	:	No data available
Toxicity to algae	:	No data available
Ingredients		
Toxicity to fish	:	amines, coco alkyldimethyl, n-oxides 96 h LC50 Fish: 1 mg/l
		Isopropanol 96 h LC50 Pimephales promelas: 9,640 mg/l

	Propylene glycol 96 h LC50: > 10,000 mg/l
	amides, coco, n,n-bis(hydroxyethyl) 96 h LC50 Fish: 3.6 mg/l
Ingredients	
Toxicity to daphnia and other aquatic invertebrates	: Isopropanol LC50 Daphnia magna (Water flea): > 10,000 mg/l
	Chlorhexidine gluconate 48 h EC50: 0.06 mg/l
	Propylene glycol 48 h EC50: 18,340 mg/l
	Diethanolamine 48 h EC50 Daphnia: 65.5 mg/l
Ingredients	
Toxicity to algae	: Propylene glycol 96 h EC50: 19,000 mg/l
Persistence and degradability	y
No data available	
Bioaccumulative potential	
No data available	
Mobility in soil	
No data available	
Other adverse effects	
No data available	
SECTION 13. DISPOSAL CON	ISIDERATIONS
BECHICK 13. DICI COAL CON	
Disposal methods	: Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Disposal considerations	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re- use empty containers. Dispose of in accordance with local, state, and federal regulations.
RCRA - Resource Conservation and Recovery Authorization Act Hazardous waste	: D001 (Ignitable)

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Not dangerous goods

Sea transport (IMDG/IMO)

UN number Description of the goods	-	1993 FLAMMABLE LIQUID, N.O.S. (Ispropanol)
Class	:	3
Packing group	:	III
Marine pollutant	:	yes

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Diethanolamine	111-42-2	100	71428

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Flammable (gases, aerosols, liquids, or solids) Serious eye damage or eye irritation Carcinogenicity
SARA 302 :	This material does not contain any components with a section 302 EHS TPQ.
SARA 313 :	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

WARNING: This product can expose you to chemicals including amides, coco, n,nbis(hydroxyethyl), Diethanolamine, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

Switzerland. New notified substances and declared preparations :

The mixture contains substances listed on the Swiss Inventory

United States TSCA Inventory :

On the inventory, or in compliance with the inventory

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS) :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances :

On the inventory, or in compliance with the inventory


Japan. ENCS - Existing and New Chemical Substances Inventory : not determined

Korea. Korean Existing Chemicals Inventory (KECI) : not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS) : not determined

China. Inventory of Existing Chemical Substances in China (IECSC) : On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI) : not determined



REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.