

Gordon Laboratories

SAFETY DATA SHEET (SDS)

1. IDENTIFICATION

Trade name: Stik It

NDC Number: 10481-6107-05 (100 x 0.5 cc ampules)

Product Number: 6107-05

Product Description: Brownish tacky liquid having a characteristic odor.

Manufacturer/Supplier:

Gordon Laboratories 6801 Ludlow Street Upper Darby, PA 19082

gordonlabs@att.net www.gordonlabs.com 800-356-7870 or 610-734-2011 for product information

(See Sec. 16 for abbreviations and acronyms)

2. HAZARD(S) IDENTIFICATION

Classification of the substance or mixture:

Label elements: Caution: Keep away from open flame. For external use only. Keep out of reach of children.

Hazard pictograms:



Signal word: Flammable

Hazard statements: May cause eye irritation or mild skin irritation.

Trade name: Stik It

Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme NFPA ratings (scale 0-4)

Health = 1 Fire = 3 Reactivity = 0

HMIS ratings (scale 0-4)

Health = 2 Fire = 3 Reactivity = 0

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Mixtures

Description: Mixture of Polymerized Rosin Resin (CAS# 65997-05-9) with additional

ingredient below.

Hazardous component: Textile Spirits (CAS# 110-54-3)

4. FIRST AID MEASURES

Description of first aid measures:

After inhalation: Remove to fresh air if intensely inhaled and seek medical attention if breathing is difficult.

After skin contact: May cause skin irritation. Wash exposed area with soap and water. If symptoms persist, seek medical attention.

After eye contact: May cause irritation. Flush with plenty of water for at least 15 minutes. Call a physician.

After ingestion: Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting.

Trade name: Stik It

5. FIRE FIGHTING MEASURES

Suitable extinguishing agents: Dry chemical, foam, carbon dioxide (CO₂), water spray.

Special hazards arising from the substance or mixture: Hazardous combustion products may form (carbon dioxide and carbon monoxide).

Advice for firefighters: Water may be ineffective for extinguishment unless used under favorable conditions by experienced fire fighters.

Protective equipment: Wear full firefighting turn-out gear (Bunker gear), and respiratory protection (SCUBA).

6. ACCIDENTAL RELEASE MEASURES

Methods and material for containment and cleaning: Absorb liquid on vermiculite or other non-combustible absorbent material (e.g. sand, earth) and place in a container for disposal (see Section 13).

Personal precautions, protective equipment and emergency procedures: Ensure adequate ventilation. Eliminate all ignition sources (flames including pilot lights).

Environmental precautions: Prevent run-off into drains, sewers and streams. Do not flush into surface water or sanitary sewer system.

References to other sections: See Section 8.

7. HANDLING AND STORAGE

Precautions for safe handling: Store in a cool, dry, ventilated area, away from incompatible substances. Do not store near extreme heat, open flame, or sources of ignition.

Information about protection against explosions and fires: Emptied containers can contain residue (vapor, liquid, and or solid) and hazard precautions must be observed.

Conditions for safe storage, including any incompatibilities: Keep containers closed.

Trade name: Stik It

Specific end use(s): Adhesive

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure controls: Provide sufficient mechanical (general and/or local exhaust) ventilation.

Personal protective equipment: Eye protection not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Protection of hands: Wear gloves. Discard gloves that show tears, pinholes, or signs of wear.



Material of gloves: Latex

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form: liquid Color: amber,

Odor: Slight, characteristic Odor threshold: Not determined.

pH (1% soln/water): No data available. Boiling point / boiling range; N/A

Flash point: Not determined.

Flammability of the product: No data available.

Water solubility: insoluble

Trade name: Stik It

10. STABILITY AND REACTIVITY

Chemical stability: Stable

Possibility of hazardous reactions: Hazardous polymerization will not occur.

Conditions to avoid: Heat, flames and sparks.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: Hydrocarbons carbon dioxide and carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Acute toxicity: No data available.

Primary irritant effect:

On the skin: May cause skin irritation.

On the eye: May cause irritation.

Inhalation: Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful.

Ingestion: Swallowing large amounts may be harmful. The material can get into the lungs during swallowing or vomiting, causing lung inflammation.

Carcinogenicity: No data available.

12. ECOLOGICAL INFORMATION

Aquatic toxicity: No data available.

Persistence and degradability: No data available.

Behavior in environmental systems:

Bioaccumulative potential - No data available.

Trade name: Stik It

Mobility in soil - No data available.

Results of PBT and vPvB assessment: No data available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods: Dispose of waste in accordance with all applicable local, state and federal regulations.

14. TRANSPORT INFORMATION

UN number for DOT, IMDG, IATA: UN1208

UN proper shipping name: Hexanes

Transport hazard class: 3



Packing group: II

15. REGULATORY INFORMATION

Safety, health, and environmental regulations / legislation specific for the product:

SARA 311/312 hazards: Fire hazard, acute health hazard.

SARA 313 component: n-Hexane (CAS# 110-54-3)

California Proposition 65: This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Trade name: Stik It

Pennsylvania and New Jersey RTK label information: n-Hexane (CAS# 110-54-3)

16. OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

CAS: Chemical Abstracts Service (division of the American Chemical Society)

GHS: Global Harmonized System

HMIS: Hazardous Materials Identification System (USA)

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

NFPA: National Fire Protection Association (USA)

PBT: Persistent Bioaccumulative Toxic

RTK: Right to Know (Hazardous Substance List)

SARA: Superfund Amendments & Reauthorization Act (re: hazardous waste)

vPvB: Very persistent, very bioaccumulative

Printing Date: 9/8/2014 Reviewed on: 9/8/2014