

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/10/2015

Reviewed on 12/10/2015

1 Identification

• **Product identifier**

• **Trade name:** **Flexitime Xtreme 2 Heavy Tray / Dynamix Heavy Tray / Correct Flow**

• **Application of the substance / the mixture** Dental impression material

• **Details of the supplier of the safety data sheet**

• **Manufacturer/Supplier:**

Heraeus Kulzer GmbH
Grüner Weg 11, D-63450 Hanau

Tel.: 0800 4372522

• **Information department:**

Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545
e-mail: customer.servicehkna@kulzer-dental.com

• **Emergency telephone number:**

Emergency CONTACT (24-Hour-Number)
GBK/Infotrac ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

2 Hazard(s) identification

• **Classification of the substance or mixture**

Flam. Liq. 4 H227 Combustible liquid.

• **Label elements**

• **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

• **Hazard pictograms** Void

• **Signal word** Warning

• **Hazard statements**

Combustible liquid.

• **Precautionary statements**

Keep away from flames and hot surfaces. – No smoking.

Wear protective gloves / eye protection / face protection.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Classification system**

• **NFPA ratings for USA (scale 0-4)**



Health = 0
Fire = 2
Reactivity = 0

• **HMIS-Ratings (Scale 0-4)**



HEALTH 0 Health = 0
FIRE 2 Fire = 2
REACTIVITY 0 Reactivity = 0

• **Results of PBT and vPvB assessment**

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

USA

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/10/2015

Reviewed on 12/10/2015

Trade name: Flexitime Xtreme 2 Heavy Tray / Dynamix Heavy Tray / Correct Flow

(Contd. of page 1)

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:**

2-component silicone impression material comprising base paste and matching catalyst paste for addition curing

· **Dangerous components:**

68037-59-2	Methylhydrogensiloxandimethylsiloxan-Copolymer Flam. Liq. 4, H227	10-25%
27306-78-1	modified heptamethyltrisiloxane with polyalkylene oxide Acute Tox. 4, H332; Eye Irrit. 2A, H319	0-5%

4 First-aid measures

· **Description of first aid measures**

· **General information** No special measures required.

· **After inhalation** Supply fresh air; consult doctor in case of complaints.

· **After skin contact** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact** Rinse opened eye for several minutes under running water.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents**

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **Special hazards arising from the substance or mixture** No further relevant information available.

· **Advice for firefighters**

· **Protective equipment:** No special measures required.

· **Additional information -**

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures** Not required.

· **Environmental precautions:** No special measures required.

· **Methods and material for containment and cleaning up:** Pick up mechanically.

· **Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

USA

**Safety Data Sheet
acc. to OSHA HCS**

Printing date 12/10/2015

Reviewed on 12/10/2015

Trade name: Flexitime Xtreme 2 Heavy Tray / Dynamix Heavy Tray / Correct Flow

(Contd. of page 2)

7 Handling and storage

- **Handling**
 - **Precautions for safe handling** No special measures required.
 - **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
 - **Storage**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
 - **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

 - **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
 - **Personal protective equipment**
 - **General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.
 - **Breathing equipment:** Not required.
 - **Protection of hands:** recommended
 - **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
 - **For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:**

Butyl rubber, BR
Nitrile rubber, NBR
Fluorocarbon rubber (Viton)
Chloroprene rubber, CR
 - **Eye protection:** Protective goggles are recommended.
 - **Body protection:** Light weight protective clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
 - **General Information**
 - **Appearance:**
 - **Form:** Pasty

(Contd. on page 4)

USA

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/10/2015

Reviewed on 12/10/2015

Trade name: Flexitime Xtreme 2 Heavy Tray / Dynamix Heavy Tray / Correct Flow

(Contd. of page 3)

· Color:	Different according to coloring
· Odor:	Fruit-like
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
· Melting point/Melting range:	undetermined
· Boiling point/Boiling range:	undetermined
· Flash point:	Not applicable
· Flammability (solid, gaseous)	Not applicable.
· Ignition temperature:	
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C (68 °F):	1,24 - 1,56 g/cm ³ (10.348 - 13.018 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Not miscible or difficult to mix
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
· dynamic:	Not determined.
· kinematic at 20 °C (68 °F):	24 - 125 Pa s
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** none
- **Additional information:** -

USA

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 12/10/2015

Reviewed on 12/10/2015

Trade name: Flexitime Xtreme 2 Heavy Tray / Dynamix Heavy Tray / Correct Flow

(Contd. of page 4)

11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **Primary irritant effect:**

- **on the skin:** Based on available data, the classification criteria are not met.

- **on the eye:** Based on available data, the classification criteria are not met.

- **Sensitization:** Based on available data, the classification criteria are not met.

- **Additional toxicological information:**

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation** Smaller quantities can be disposed of with household waste.

(Contd. on page 6)

USA

Safety Data Sheet acc. to OSHA HCS

Printing date 12/10/2015

Reviewed on 12/10/2015

Trade name: Flexitime Xtreme 2 Heavy Tray / Dynamix Heavy Tray / Correct Flow

(Contd. of page 5)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|-----------------|
| · UN-Number | |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name | |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · DOT, ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · Packing group | |
| · DOT, ADR, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · Transport/Additional information: | - |
| · UN "Model Regulation": | Void |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **SARA Section 355 (extremely hazardous substances)**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act)**

None of the ingredients is listed.

Medical devices are exempted from TSCA.

- **Carcinogenicity categories**

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms** Void

- **Signal word** Warning

- **Hazard statements**

Combustible liquid.

- **Precautionary statements**

Keep away from flames and hot surfaces. – No smoking.

(Contd. on page 7)

USA

**Safety Data Sheet
acc. to OSHA HCS**

Printing date 12/10/2015

Reviewed on 12/10/2015

Trade name: Flexitime Xtreme 2 Heavy Tray / Dynamix Heavy Tray / Correct Flow

(Contd. of page 6)

- Wear protective gloves / eye protection / face protection.
In case of fire: Use for extinction: CO₂, powder or water spray.
Store in a well-ventilated place. Keep cool.
Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
*H227 Combustible liquid.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.*
- **Date of preparation / last revision** 12/10/2015 / -
- **Abbreviations and acronyms:**
*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 4: Flammable liquids, Hazard Category 4
Acute Tox. 4: Acute toxicity, Hazard Category 4
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A*
- *** Data compared to the previous version altered.**

USA