

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/07/2015

Version number 2

Reviewed on 03/12/2015

1 Identification

- **Product identifier**
- **Trade name:** **Variolink Esthetic DC (Base)**
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Dual-curing resin-based dental luting material
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ivoclar Vivadent Inc.
175 Pineview Drive, Amherst, N.Y. 14228
USA
Tel. +1 800 533 6825
Fax +1 716 691 2285

Ivoclar Vivadent Inc.
1-6600 Dixie Road
Mississauga, Ontario
L5T 2Y2
Canada
Phone: +1 905 670 8499
Fax: +1 905 670 3102
- **Information department:** Quality Assurance / Regulatory Affairs
- **Emergency telephone number:**
24 Hour Emergency Assistance:
Emergency-Call USA - Infotrac: 1-800-535-5053
Emergency-Call Canada - Canutec: 1-613-996-6666

General SDS Assistance:
US: 1-800-533-6825
Canada: 1-800-263-8182

2 Hazard(s) identification

- **Classification of the substance or mixture**
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H335 May cause respiratory irritation.
- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**

GHS07
- **Signal word** Warning
- **Hazard-determining components of labeling:**
urethane dimethacrylate
ytterbium trifluoride

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/07/2015

Version number 2

Reviewed on 03/12/2015

Trade name: **Variolink Esthetic DC (Base)**

(Contd. of page 1)

1,10-decandiol dimethacrylate

- **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause respiratory irritation.

- **Precautionary statements**

Wear protective gloves/protective clothing/eye protection/face protection.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Additional information:**

Medical devices are exempt from the labeling provisions of GHS according to the Hazard Communication Standard (HCS).

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 0

Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 1

Fire = 0

Reactivity = 0

- **Other hazards**

- **Results of PBT and vPvB assessment**

• **PBT:** Not applicable.• **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

• **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

13760-80-0	ytterbium trifluoride	20-<25%
72869-86-4	urethane dimethacrylate	2.5-<10%
1830-78-0	glycerin-1.3-dimethacrylate	2.5-<10%
6701-13-9	1,10-decandiol dimethacrylate	2.5-<10%
591-08-2	acetyl-2-thiourea	0.1-<1%

4 First-aid measures

- **Description of first aid measures**

- **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:**

Rinse with water.

If skin irritation continues, consult a doctor.

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/07/2015

Version number 2

Reviewed on 03/12/2015

Trade name: Variolink Esthetic DC (Base)

(Contd. of page 2)

- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Only adequately trained personnel should handle this product.
For use in dentistry only.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Protect from exposure to the light.
Protect from heat and direct sunlight.
Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/07/2015

Version number 2

Reviewed on 03/12/2015

Trade name: Variolink Esthetic DC (Base)

(Contd. of page 3)

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Usual hygienic measures for dental practice.
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
After use of gloves apply skin-cleaning agents and skin cosmetics.

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Not suitable are gloves made of the following materials:**
Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates.
- **Eye protection:** Safety glasses

9 Physical and chemical properties

- | | |
|--|---|
| · Information on basic physical and chemical properties | |
| · General Information | |
| · Appearance: | |
| Form: | Pasty |
| Color: | According to product specification |
| · Odor: | Characteristic |
| · Odour threshold: | Not determined. |
| · pH-value: | Not applicable. |
| · Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | Undetermined. |
| · Flash point: | Not applicable. |
| · Flammability (solid, gaseous): | Not determined. |
| · Auto igniting: | Product is not selfigniting. |
| · Danger of explosion: | Product does not present an explosion hazard. |

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/07/2015

Version number 2

Reviewed on 03/12/2015

Trade name: **Variolink Esthetic DC (Base)**

(Contd. of page 4)

- | | |
|---|--|
| · Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| · Vapor pressure: | Not applicable. |
| · Density at 20 °C (68 °F): | 1.8567 g/cm ³ (15.494 lbs/gal) |
| · Relative density | Not determined. |
| · Vapour density | Not applicable. |
| · Evaporation rate | Not applicable. |
| · Solubility in / Miscibility with Water: | Nearly insoluble. |
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Viscosity: | |
| Dynamic: | Not applicable. |
| Kinematic: | Not applicable. |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
Stable under normal handling and storage conditions.
Photoreactive (Danger of polymerization).
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**
Protect from exposure to the light.
Keep away from heat and direct sunlight.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None under normal conditions of storage and use.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:** No further relevant information available.
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

13760-80-0	ytterbium trifluoride	3
128-37-0	2,6-di-tert-butyl-p-cresol	3

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/07/2015

Version number 2

Reviewed on 03/12/2015

Trade name: **Variolink Esthetic DC (Base)**

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|-----------------|
| · UN-Number | |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name | |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · DOT, ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · Packing group | |
| · DOT, ADR, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/07/2015

Version number 2

Reviewed on 03/12/2015

Trade name: **Variolink Esthetic DC (Base)**

(Contd. of page 6)

- | | |
|--|--|
| · Transport/Additional information: | Product is not classified as a dangerous good for transport (ADR, IMDG, IATA). |
| · UN "Model Regulation": | - |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

13395-16-9 copper(II) 4-oxopent-2-en-2-olate

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

13760-80-0 ytterbium trifluoride

A4

128-37-0 2,6-di-tert-butyl-p-cresol

A4

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07

- **Signal word** Warning

- **Hazard-determining components of labeling:**

urethane dimethacrylate

ytterbium trifluoride

1,10-decandiol dimethacrylate

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/07/2015

Version number 2

Reviewed on 03/12/2015

Trade name: Variolink Esthetic DC (Base)

(Contd. of page 7)

- **Hazard statements**

Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.
May cause respiratory irritation.

- **Precautionary statements**

Wear protective gloves/protective clothing/eye protection/face protection.
Wash contaminated clothing before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Dispose of contents/container in accordance with local/regional/national/international regulations.

- **National regulations:**

- **Other regulations, limitations and prohibitive regulations**

The product is a medical device according to the Directive 93/42/EEC.
This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Date of preparation / last revision** 05/07/2015 / 1

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

- *** Data compared to the previous version altered.**

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/21/2024

Version number 1

Reviewed on 02/21/2024

1 Identification

- **Product identifier**
- **Trade name:** ***Variolink Esthetic DC (light, light+, neutral, warm, warm+)***
(Base)
- **Application of the substance / the mixture** Polymer-based dental luting material (intraoral dual-curing)
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ivoclar Vivadent Inc.
175 Pineview Drive, Amherst, N.Y. 14228
USA
Tel. +1 800 533 6825
Fax +1 716 691 2285

Ivoclar Vivadent Inc.
1-6600 Dixie Road
Mississauga, Ontario
L5T 2Y2
Canada
Phone: +1 905 670 8499
Fax: +1 905 670 3102
- **Information department:** Quality Assurance / Regulatory Affairs
- **Emergency telephone number:**
24 Hour Emergency Assistance:
Emergency-Call USA - Infotrac: 1-800-535-5053
Emergency-Call Canada - Canutec: 1-613-996-6666

General SDS Assistance:
US: 1-800-533-6825
Canada: 1-800-263-8182

2 Hazard(s) identification

- **Classification of the substance or mixture**
- Skin Irritation 2 H315 Causes skin irritation.
- Eye Irritation 2A H319 Causes serious eye irritation.
- Sensitization - Skin 1 H317 May cause an allergic skin reaction.
- Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labeling:**
urethane dimethacrylate
ytterbium trifluoride
aromatic aliphatic urethane dimethacrylate

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/21/2024

Version number 1

Reviewed on 02/21/2024

Trade name: **Variolink Esthetic DC (light, light+, neutral, warm, warm+) (Base)**

(Contd. of page 1)

1,10-decandiol dimethacrylate

· **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause respiratory irritation.

· **Precautionary statements**

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 2

Fire = 0

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 13760-80-0	ytterbium trifluoride	10-25%
CAS: 72869-86-4	urethane dimethacrylate	2.5-10%
CAS: 1219495-43-8	aromatic aliphatic urethane dimethacrylate	2.5-10%
CAS: 6701-13-9	1,10-decandiol dimethacrylate	2.5-10%
CAS: 591-08-2	acetyl-2-thiourea	<2.5%

4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Rinse with water.

If skin irritation continues, consult a doctor.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/21/2024

Version number 1

Reviewed on 02/21/2024

Trade name: **Variolink Esthetic DC (light, light+, neutral, warm, warm+) (Base)**

(Contd. of page 2)

- **After swallowing:**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

CAS: 13760-80-0	ytterbium trifluoride	30 mg/m ³
-----------------	-----------------------	----------------------

· **PAC-2:**

CAS: 13760-80-0	ytterbium trifluoride	330 mg/m ³
-----------------	-----------------------	-----------------------

· **PAC-3:**

CAS: 13760-80-0	ytterbium trifluoride	2,000 mg/m ³
-----------------	-----------------------	-------------------------

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Only adequately trained personnel should handle this product.
For use in dentistry only.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Protect from exposure to the light.
Protect from heat and direct sunlight.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/21/2024

Version number 1

Reviewed on 02/21/2024

Trade name: *Variolink Esthetic DC (light, light+, neutral, warm, warm+) (Base)*

(Contd. of page 3)

Keep receptacle tightly sealed.

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Usual hygienic measures for dental practice and dental laboratories.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

After use of gloves apply skin-cleaning agents and skin cosmetics.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Not suitable are gloves made of the following materials:**

Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:

Pasty

Color:

According to product specification

· **Odor:**

Characteristic

· **Odor threshold:**

Not determined.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/21/2024

Version number 1

Reviewed on 02/21/2024

Trade name: Variolink Esthetic DC (light, light+, neutral, warm, warm+) (Base)

(Contd. of page 4)

· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density at 20 °C (68 °F):	1.8567 g/cm ³ (15.494 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water:	Nearly insoluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
Stable under normal handling and storage conditions.
Photoreactive (Danger of polymerization).
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**
Protect from exposure to the light.
Keep away from heat and direct sunlight.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None under normal conditions of storage and use.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Specific symptoms in biological assay:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/21/2024

Version number 1

Reviewed on 02/21/2024

Trade name: **Variolink Esthetic DC (light, light+, neutral, warm, warm+) (Base)**

(Contd. of page 5)

· **Additional toxicological information:** No further relevant information available.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

CAS: 13760-80-0 ytterbium trifluoride

3

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**

· **DOT**

· **ADR/RID/ADN, IMDG, IATA**

Void

UN3082

· **UN proper shipping name**

· **DOT**

· **ADR/RID/ADN**

Void

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Butylated hydroxytoluene, 2-(2-Hydroxy-5-methylphenyl)-benzotriazol; 2-(2H-Benzotriazol-2-yl)-p-kresol)

· **IMDG**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Butylated hydroxytoluene, 2-(2-Hydroxy-5-methylphenyl)-benzotriazol; 2-(2H-Benzotriazol-2-yl)-p-kresol), MARINE POLLUTANT

· **IATA**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Butylated hydroxytoluene, 2-(2-Hydroxy-5-

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/21/2024

Version number 1

Reviewed on 02/21/2024

Trade name: **Variolink Esthetic DC (light, light+, neutral, warm, warm+) (Base)**

(Contd. of page 6)

methylphenyl)-benzotriazol; 2-(2H-Benzotriazol-2-yl)-p-kresol)	
· Transport hazard class(es)	
· DOT	
· Class	Void
· ADR/RID/ADN	
	
· Class	9 (M6) Miscellaneous dangerous substances and articles
· Label	9
· IMDG, IATA	
	
· Class	9 Miscellaneous dangerous substances and articles
· Label	9
· Packing group	
· DOT	Void
· ADR/RID/ADN, IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	No
· Special marking (ADR/RID/ADN):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· Special precautions for user	Warning: Miscellaneous dangerous substances and articles
· Hazard identification number (Kemler code):	90
· EMS Number:	F-A,S-F
· Stowage Category	A
· Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR/RID/ADN	
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/21/2024

Version number 1

Reviewed on 02/21/2024

Trade name: **Variolink Esthetic DC (light, light+, neutral, warm, warm+) (Base)**

(Contd. of page 7)

· **UN "Model Regulation":**

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BUTYLATED HYDROXYTOLUENE, 2-(2-HYDROXY-5-METHYLPHENYL)-BENZOTRIAZOL; 2-(2H-BENZOTRIAZOL-2-YL)-P-KRESOL), 9, III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

CAS: 13760-80-0	ytterbium trifluoride	ACTIVE
CAS: 6701-13-9	1,10-decandiol dimethacrylate	ACTIVE
CAS: 591-08-2	acetyl-2-thiourea	ACTIVE

· **Proposition 65**

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

CAS: 13760-80-0	ytterbium trifluoride	A4
-----------------	-----------------------	----

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labeling:**

urethane dimethacrylate
ytterbium trifluoride
aromatic aliphatic urethane dimethacrylate
1,10-decandiol dimethacrylate

· **Hazard statements**

Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.
May cause respiratory irritation.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/21/2024

Version number 1

Reviewed on 02/21/2024

Trade name: Variolink Esthetic DC (light, light+, neutral, warm, warm+) (Base)

(Contd. of page 8)

· **Precautionary statements**

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

· **Other regulations, limitations and prohibitive regulations**

The product is a medical device according to Regulation 2017/745 on Medical Devices (MDR).

This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.

· **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Contact:**

· **Date of preparation / last revision 02/21/2024**

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Sensitization - Skin 1: Skin sensitisation – Category 1

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

US

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/21/2024

Version number 3

Reviewed on 02/21/2024

1 Identification

- **Product identifier**
- **Trade name:** ***Variolink Esthetic DC (Catalyst)***
- **Application of the substance / the mixture** Polymer-based dental luting material (intraoral dual-curing)
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ivoclar Vivadent Inc.
175 Pineview Drive, Amherst, N.Y. 14228
USA
Tel. +1 800 533 6825
Fax +1 716 691 2285

Ivoclar Vivadent Inc.
1-6600 Dixie Road
Mississauga, Ontario
L5T 2Y2
Canada
Phone: +1 905 670 8499
Fax: +1 905 670 3102
- **Information department:** Quality Assurance / Regulatory Affairs
- **Emergency telephone number:**
24 Hour Emergency Assistance:
Emergency-Call USA - Infotrac: 1-800-535-5053
Emergency-Call Canada - Canutec: 1-613-996-6666

General SDS Assistance:
US: 1-800-533-6825
Canada: 1-800-263-8182

2 Hazard(s) identification

- **Classification of the substance or mixture**
Skin Irritation 2 H315 Causes skin irritation.
Eye Irritation 2A H319 Causes serious eye irritation.
Sensitization - Skin 1 H317 May cause an allergic skin reaction.
Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.
Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through
prolonged or repeated exposure.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07 GHS08

- **Signal word** Warning
- **Hazard-determining components of labeling:**
urethane dimethacrylate
ytterbium trifluoride

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/21/2024

Version number 3

Reviewed on 02/21/2024

Trade name: **Variolink Esthetic DC (Catalyst)**

(Contd. of page 1)

α,α -dimethylbenzyl hydroperoxide
aromatic aliphatic urethane dimethacrylate
1,10-decandiol dimethacrylate

· **Hazard statements**

Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.
May cause respiratory irritation.
May cause damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Wash contaminated clothing before reuse.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 2
 Fire = 0
 Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 2
 Fire = 0
 Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 13760-80-0	ytterbium trifluoride	10-25%
CAS: 72869-86-4	urethane dimethacrylate	2.5-10%
CAS: 1219495-43-8	aromatic aliphatic urethane dimethacrylate	2.5-10%
CAS: 6701-13-9	1,10-decandiol dimethacrylate	2.5-10%
CAS: 80-15-9	α,α -dimethylbenzyl hydroperoxide	<2.5%

4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Rinse with water.

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/21/2024

Version number 3

Reviewed on 02/21/2024

Trade name: **Variolink Esthetic DC (Catalyst)**

(Contd. of page 2)

If skin irritation continues, consult a doctor.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **Special hazards arising from the substance or mixture** No further relevant information available.

· **Advice for firefighters**

· **Protective equipment:** No special measures required.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:** Pick up mechanically.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

CAS: 13760-80-0	ytterbium trifluoride	30 mg/m ³
CAS: 72869-86-4	urethane dimethacrylate	120 mg/m ³
CAS: 80-15-9	α,α -dimethylbenzyl hydroperoxide	0.15 ppm

· **PAC-2:**

CAS: 13760-80-0	ytterbium trifluoride	330 mg/m ³
CAS: 72869-86-4	urethane dimethacrylate	1,300 mg/m ³
CAS: 80-15-9	α,α -dimethylbenzyl hydroperoxide	1.6 ppm

· **PAC-3:**

CAS: 13760-80-0	ytterbium trifluoride	2,000 mg/m ³
CAS: 72869-86-4	urethane dimethacrylate	7,900 mg/m ³
CAS: 80-15-9	α,α -dimethylbenzyl hydroperoxide	9.7 ppm

7 Handling and storage

· **Handling:**

· **Precautions for safe handling**

Only adequately trained personnel should handle this product.

For use in dentistry only.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/21/2024

Version number 3

Reviewed on 02/21/2024

Trade name: **Variolink Esthetic DC (Catalyst)**

(Contd. of page 3)

- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Protect from exposure to the light.
Protect from heat and direct sunlight.
Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

CAS: 80-15-9 α,α -dimethylbenzyl hydroperoxide

WEEL	Long-term value: 6 mg/m ³ , 1 ppm
	Skin

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Usual hygienic measures for dental practice and dental laboratories.
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

After use of gloves apply skin-cleaning agents and skin cosmetics.

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Not suitable are gloves made of the following materials:**
Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates.

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/21/2024

Version number 3

Reviewed on 02/21/2024

Trade name: **Variolink Esthetic DC (Catalyst)**

· Eye protection:

(Contd. of page 4)



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Pasty
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.

· pH-value: Not applicable.

· Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not determined.

· Ignition temperature: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· Vapor pressure: Not applicable.

· Density at 20 °C (68 °F): 1.8705 g/cm³ (15.609 lbs/gal)

· Relative density: Not determined.

· Vapor density: Not applicable.

· Evaporation rate: Not applicable.

· Solubility in / Miscibility with

Water: Nearly insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic:	Not applicable.
Kinematic:	Not applicable.

· Other information: No further relevant information available.

10 Stability and reactivity

· Reactivity: No further relevant information available.

· Chemical stability: Stable under normal handling and storage conditions.

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions: No dangerous reactions known.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/21/2024

Version number 3

Reviewed on 02/21/2024

Trade name: **Variolink Esthetic DC (Catalyst)**

(Contd. of page 5)

- **Conditions to avoid**
Protect from exposure to the light.
Keep away from heat and direct sunlight.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None under normal conditions of storage and use.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Specific symptoms in biological assay:**
 - **on the skin:** Irritant to skin and mucous membranes.
 - **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:** No further relevant information available.
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

CAS: 13760-80-0 ytterbium trifluoride

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/21/2024

Version number 3


Reviewed on 02/21/2024

Trade name: **Variolink Esthetic DC (Catalyst)**

(Contd. of page 6)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· DOT	Void
· ADR/RID/ADN, IMDG, IATA	UN3082
· UN proper shipping name	
· DOT	Void
· ADR/RID/ADN	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,10-decandiol dimethacrylate)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,10-decandiol dimethacrylate), MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,10-decandiol dimethacrylate)
· Transport hazard class(es)	
· DOT	
· Class	Void
· ADR/RID/ADN	
	
· Class	9 (M6) Miscellaneous dangerous substances and articles
· Label	9
· IMDG, IATA	
	
· Class	9 Miscellaneous dangerous substances and articles
· Label	9
· Packing group	
· DOT	Void
· ADR/RID/ADN, IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	No
· Special marking (ADR/RID/ADN):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· Special precautions for user	Warning: Miscellaneous dangerous substances and articles
· Hazard identification number (Kemler code):	90
· EMS Number:	F-A, S-F
· Stowage Category	A

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/21/2024

Version number 3

Reviewed on 02/21/2024

Trade name: **Variolink Esthetic DC (Catalyst)**

(Contd. of page 7)

· **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**

· **ADR/RID/ADN**

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **IMDG**

· **Limited quantities (LQ)**

5L

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":**

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,10-DECANDIOL DIMETHACRYLATE), 9, III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

CAS: 80-15-9 α,α -dimethylbenzyl hydroperoxide

· **TSCA (Toxic Substances Control Act):**

CAS: 13760-80-0 ytterbium trifluoride

ACTIVE

CAS: 72869-86-4 urethane dimethacrylate

ACTIVE

CAS: 6701-13-9 1,10-decandiol dimethacrylate

ACTIVE

CAS: 80-15-9 α,α -dimethylbenzyl hydroperoxide

ACTIVE

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/21/2024

Version number 3

Reviewed on 02/21/2024

Trade name: **Variolink Esthetic DC (Catalyst)**

(Contd. of page 8)

· **TLV (Threshold Limit Value)**

CAS: 13760-80-0 Ytterbium trifluoride

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**

GHS07 GHS08

· **Signal word** Warning· **Hazard-determining components of labeling:**

urethane dimethacrylate

ytterbium trifluoride

 α,α -dimethylbenzyl hydroperoxide

aromatic aliphatic urethane dimethacrylate

1,10-decandiol dimethacrylate

· **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**· **Other regulations, limitations and prohibitive regulations**

The product is a medical device according to Regulation 2017/745 on Medical Devices (MDR).

This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Contact:**· **Date of preparation / last revision** 02/21/2024· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

(Contd. on page 10)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/21/2024

Version number 3

Reviewed on 02/21/2024

Trade name: Variolink Esthetic DC (Catalyst)

(Contd. of page 9)

*EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**Skin Irritation 2: Skin corrosion/irritation – Category 2**Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A**Sensitization - Skin 1: Skin sensitisation – Category 1**Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3**Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2*** Data compared to the previous version altered.*

US