

Page 1/10

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2022 Reviewed on 11/16/2022 1 Identification · Product identifier · Trade name: Charisma · Application of the substance / the mixture Dental filling material · Details of the supplier of the safety data sheet Manufacturer/Supplier: Kulzer GmbH Tel.: +49 (0)800 4372522 Leipziger Straße 2, 63450 Hanau (Germany) · Information department: Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545 e-mail: customer.servicehkna@kulzer-dental.com Emergency telephone number: Emergency CONTACT (24-Hour-Number) ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500 2 Hazard(s) identification Classification of the substance or mixture Sensitization - Skin 1 H317 May cause an allergic skin reaction. · Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS07 · Signal word Warning · Hazard-determining components of labeling: triethylen glycol dimethacrylate 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate · Hazard statements May cause an allergic skin reaction. Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label). Wash contaminated clothing before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system NFPA ratings for USA (scale 0-4) Health = 0Fire = 1Reactivity = 0 (Contd. on page 2)

ús



Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2022

R

Reviewed on 11/16/2022

Trade name: Charisma

(Contd. of page 1)

Page 2/10

IEALTH 0	Health = 0
IRE 1	Fire = 1
	Reactivity = 0

Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· HMIS-Ratings (Scale 0-4)

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

Description: Composition based on methacrylates

Dangerous components:

. J		
109-16-0	triethylen glycol dimethacrylate	<i>≥</i> 1- <i>≤</i> 5%
	Sensitization - Skin 1B, H317	
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16- diyl bismethacrylate	<i>≥</i> 1- <i>≤</i> 5%
	Sensitization - Skin 1B, H317	
	methacrylic acid	<1%
	Acute Toxicity - Dermal 3, H311 Skin Corrosion 1A, H314; Eye Damage 1, H318	
	Acute Toxicity - Óral 4, H302; Acute Toxicity - Inhalation 4, H332; Specific Target Organ Toxicity - Single Exposure 3, H335 Specific concentration limit: STOT SE 3; H335: C ≥ 1 %	
· Addition	al information For the wording of the listed hazard phrases refer to section 16.	

4 First-aid measures

[·] Description of first aid measures

- · After inhalation Supply fresh air; consult doctor in case of complaints.
- After skin contact immediately wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing
- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- · Information for doctor
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

· Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



Page 3/10

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2022

Trade name: Charisma

- · Advice for firefighters
- · Protective equipment: No special measures required.

· Additional information -

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: No special measures required.
 Methods and material for containment and cleaning up: Absorb with liquid binding material (diatomite, universal binders, for small amounts tissues).

See Section 8 for information on personal protection equipment.

· Protective Action Criteria for Chemicals

PAC-1:		
65997-17-3	Glaspulver	15 mg/m³
2530-85-0	3-trimethoxysilylpropyl methacrylate	71 mg/m³
	triethylen glycol dimethacrylate	33 mg/m ³
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane 1,16-diyl bismethacrylate	- 120 mg/m
112945-52-5	Amorphous silica	18 mg/m³
	methacrylic acid	6.7 ppm
	methyl methacrylate	17 ppm
64-19-7	acetic acid	5 ppm
7775-14-6	sodium dithionite	30 mg/m ³
· PAC-2:		
65997-17-3	Glaspulver	170 mg/m³
2530-85-0	3-trimethoxysilylpropyl methacrylate	780 mg/m³
109-16-0	triethylen glycol dimethacrylate	360 mg/m³
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane- 1,16-diyl bismethacrylate	1,300 mg/m
112945-52-5	Amorphous silica	100 mg/m³
		61 ppm
	· · ·	120 ppm
64-19-7		35 ppm
7775-14-6	sodium dithionite	330 mg/m³
PAC-3:		
65997-17-3	Glaspulver	990 mg/m³
2530-85-0	3-trimethoxysilylpropyl methacrylate	4,700 mg/m
109-16-0	triethylen glycol dimethacrylate	2,100 mg/m
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane- 1,16-diyl bismethacrylate	7,900 mg/m
112945-52-5		630 mg/m³
79-41-4	methacrylic acid	220 ppm
		570 ppm
	acetic acid	250 ppm

(Contd. of page 2)

Reviewed on 11/16/2022

Reference to other sections See Section 13 for disposal information.



Page 4/10

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2022

Trade name: Charisma

7775-14-6 sodium dithionite

(Contd. of page 3) 2,000 mg/m³

Reviewed on 11/16/2022

7 Handling and storage

· Handling

- Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
 - [.] Storage
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - · Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep cool, if possible (not above 25 °C).
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
 - Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

Personal protective equipment

- General protective and hygienic measures
- Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands:

Check protective gloves prior to each use for their proper condition.

- recommended
 - · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:
- Butyl rubber, BR

Nitrile rubber, NBR

- Eye protection: Not absolutely necessary.
- · Body protection: Light weight protective clothing

(Contd. on page 5)

LIS



Page 5/10

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2022

Reviewed on 11/16/2022

Trade name: Charisma

(Contd. of page 4)

nformation on basic physical and ch	hemical properties
General Information Appearance: Form: Color: Odor:	Pasty Different according to coloring Odorless
· Odor threshold:	Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	undetermined undetermined
· Flash point:	>100 °C (>212 °F)
· Flammability (solid, gaseous)	Not applicable.
• Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: · Lower: · Upper:	Not determined. Not determined.
· Vapor pressure:	Not determined.
 Density: Relative density Vapor density Evaporation rate 	Not determined Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix
· Partition coefficient (n-octanol/wa	ater): Not determined.
· Viscosity: · dynamic: · kinematic:	Not determined. Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Possibility of hazardous reactions No dangerous reactions known

Conditions to avoid No further relevant information available.
 Incompatible materials: No further relevant information available.
 Hazardous decomposition products: none

Additional information:

Product might polymerize after considerable exceeding of recommended storage time or temperature.

(Contd. on page 6)

US



Page 6/10

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2022

Reviewed on 11/16/2022

Trade name: Charisma

(Contd. of page 5)

	on on tox toxicity:	cicological effects
		ues that are relevant for classification:
65997-18	-4 frits, cl	hemicals
Oral	LD50	>2000 mg/kg (rat) (OECD 423)
Dermal	LD50	>2000 mg/kg (rat) (OECD 402)
1565-94-2	2 (1-meth bismeth	hylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] acrylate
Oral	LD50	>5000 mg/kg (rat)
109-16-0	triethylen	glycol dimethacrylate
Oral	LD50	8300 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (mouse)
72869-86	-4 7,7,9(o bismet	or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diy hacrylate
Oral	LD50	>5000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2000 mg/kg (rat) (OECD 402)
79-41-4 n	nethacryli	c acid
Oral	LD50	1320 mg/kg (rat) (OECD 401)
Dermal	LD50	500-1000 mg/kg (rab)
Inhalative	LC50/4 h	n 7.1 mg/l (rat) (OECD 403)
Se Additi The pi Classi When	on the sk on the ey nsitization ional toxic roduct is n fication Gu used and	ant effect: in: No irritant effect. re: No irritating effect. n: Sensitizing effect by skin contact is possible with prolonged exposure. cological information: not subject to classification according to the calculation method of the General E uidelines for Preparations as issued in the latest version: I handled according to specifications, the product does not have any harmf g to our experience and the information provided to us.
	•	c categories
	•	ernational Agency for Research on Cancer)
None of t	NTD /Nati	ional Toxicology Program)
None of t		
None of ti None of ti	he ingredie	ents is listed.
None of ti None of ti	he ingredie OSHA-Ca	n (Occupational Safety & Health Administration)
None of the None o	he ingredie OSHA-Ca he ingredie	

· Toxicity

Aquatic toxicity:

65997-18-4 frits, chemicals

LC50/96h ≥3.09 mg/l (fish)

ErC50 / 72 h ≥2.4 mg/l (algae)

(Contd. on page 7)

ús



Page 7/10

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2022

Reviewed on 11/16/2022

Trade name: Charisma

65997-17-3 (Contd. of page
	>1000 mg/l (daphnia)
LC50/96h	>1000 mg/l (fish)
	>1000 mg/l (algae)
	1000 mg/l (algae)
	1000 mg/l (daphnia)
	-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl smethacrylate
LC50/96h	>100 mg/l (fish) (OECD 203)
109-16-0 trie	thylen glycol dimethacrylate
EC50/21d	51.9 mg/L (daphnia) (OECD 211)
LC50/96h	16.4 mg/l (fish) (OECD 203)
NOEC / 21d	32 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>100 mg/l (algae) (OECD 201)
NOEC / 72h	18.6 mg/l (algae) (OECD 201)
EbC50 / 72h	72.8 mg/l (algae) (OECD 201)
72869-86-4 7 k	,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-di ismethacrylate
EC50/48h	>1.2 mg/l (daphnia) (OECD 202)
LC50/96h	10.1 mg/l (fish) (OECD 203)
ErC50 / 72 h	>0.68 mg/l (algae) (OECD 201)
NOEC / 72h	0.21 mg/l (algae) (OECD 201)
79-41-4 metl	
EC50/48h	>130 mg/l (daphnia) (EPA OTS 797.1300)
LC50/96h	85 mg/l (fish) (EPA OTS 797.1400)
	53 mg/l (daphnia)
	45 mg/l (algae) (OECD 201)
	8.2 mg/l (algae) (OECD 201)
NOEC / 96h	12 mg/l (fish) (EPA OTS 797.1400)
NOEC / 48h	130 mg/l (daphnia) (EPA OTS 797.1300)
Persistence	and degradability
	-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl smethacrylate
biodegradabi	ity 21 % /28d (not defined) (OECD 301F; ISO 9408/ EEC 92/69/V, C.4-D)
	thylen glycol dimethacrylate
	ity 85 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)
k	,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-di ismethacrylate
biodegradabi	ity 22 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)
79-41-4 meth	•
-	ity 86 % /28d (not defined) (OECD 301D)
[.] Bioaccun	environmental systems: nulative potential No further relevant information available. n soil No further relevant information available.
	(Contd. on page



Page 8/10

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2022

Reviewed on 11/16/2022

Trade name: Charisma

• Additional ecological information: • General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

PBT: Not applicable.

• vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Small quantities can be polymerized with the matching system component(s) and the cured solid material can be disposed of with the regular garbage. Must not be disposed of together with household garbage. Do not allow product to reach sewage

system. Disposal must be made according to official regulations.

· Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

4 Transport information		
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name · DOT, ADN, IMDG, IATA · ADR	Void Void	
· Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	Void	
· Packing group · DOT, ADR, IMDG, IATA	Void	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	II of Not applicable.	
· Transport/Additional information:	-	
· UN "Model Regulation":	Void	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)



Page 9/10

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2022

Reviewed on 11/16/2022

Trade name: Charisma

· Sara	(Contd. of page
· SARA Section 355 (extremely hazardous substances)	
None of the ingredients is listed.	
· SARA Section 313 (specific toxic chemical listings)	
80-62-6 methyl methacrylate	
Hazardous Air Pollutants	
80-62-6 methyl methacrylate	
Proposition 65	
Prop 65 - Chemicals known to cause cancer	
None of the ingredients is listed.	
 Chemicals known to cause reproductive toxicity for females: 	
None of the ingredients is listed.	
 Chemicals known to cause reproductive toxicity for males: 	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Cancerogenity categories	
· EPA (Environmental Protection Agency)	
80-62-6 methyl methacrylate	E, N
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· Chemical safety assessment: A Chemical Safety Assessment has not been carr	ied out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- · Date of preparation / last revision 11/16/2022
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 10)

____US



Page 10/10

Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2022

Reviewed on 11/16/2022

Trade name: Charisma

(Contd. of page 9)

(Contd. of PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Oral 4: Acute toxicity – Category 3 Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1 Sensitization - Skin 1: Skin sensitisation – Category 1 Sensitization - Skin 1B: Skin sensitisation – Category 1B Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 • * Data compared to the previous version altered. US