

# **Safety Data Sheet**

## **Spectrum Advance Hand Sanitizer Gel**

## Section 1. Identification

**Product Identifier** 

**Synonyms** 

Spectrum Advance Hand Sanitizer Gel

HH70G12N; HH701200G; HH70G04; HH70G08; HH70G1000; HH70G15;

HH70G02; MSD\_SDS0232

Manufacturer Stock

Numbers

 $HH70G12N; \, HH70G02; \, HH70G04; \, HH70G08; \, HH70G1000; \, HH70G15; \,$ 

HH701200G

Recommended use

Uses advised against

Hand sanitizer

No information available.

Manufacturer Contact
Address

Medline

3 Lakes Drive

Northfield, IL, 60093

US

Phone

**Emergency Phone** 

(800) 424-9300

CHEMTREC

Fax

(847) 643-4436

Website

www.Medline.com

(800) 633-5463

#### Section 2. Hazards Identification

Classification Signal Word Pictogram FLAMMABLE LIQUIDS - Category 3

Danger



Hazard Statements Flammable liquid and vapor

**Precautionary Statements** 

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists:

Get medical advice/attention.

If inhaled: If breathing is difficult, remove person to fresh air and keep

comfortable for breathing. If experiencing respiratory symptoms: Call a poison

center or doctor/physician.

In case of fire: Use CO2, dry chemical, or foam to extinguish.

Specific treatment (see supplemental first aid instructions on this label)

Prevention Ground/bond container and receiving equipment.

Keep away from heat/sparks/open flames/ hot surfaces. - No smoking.

Keep container tightly closed.

Take precautionary measures against static discharge.
Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Wear protective gloves/protective clothing/eye protection/face protection

Storage Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container to an approved waste disposal plant.

Ingredients of unknown

toxicity

0%

Hazards not Otherwise

Classified

N.A.

Other information: Prolonged or repeated contact may dry skin and cause irritation

May cause slight eye irritation

Interactions with Other

Chemicals:

No information available.

### Section 3. Ingredients

CAS	Ingredient Name	Weight %
64-17-5	Ethyl Alcohol 70% v/v	70 %
7732-18-5	Water	25% - 30%
85507-69-3	Aloe Barbadensis Leaf Juice	1% - Max
7695-91-2	Tocopheryl Acetate	1% - Max
56-81-5	Glycerin	1% - Max
110-27-0	Isopropyl Myristate	1% - Max
110-82-7	Acrylates/C10-13 Alkyl Acrylates Crosspolymer	1% - Max

Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First-Aid Measures

General Advice: Show this safety data sheet to the doctor in attendance.

Eye Contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if applicable, and continue flushing. If

symptoms persist, call a physician.

Skin Contact: In the case of skin irritation or allergic reactions see a physician.

Move to fresh air. Get medical attention immediately if symptoms occur. If Inhalation:

breathing has stopped, contact emergency medical services immediately and

give artificial respiration.

If swallowed do not induce vomiting. Clean mouth with water and afterwards Ingestion:

drink plenty of water. Never give anything by mouth to an unconscious person.

Consult a physician if necessary.

Burning sensation. Itching. Rashes. Hives. Coughing and/or wheezing. May Most important

symptoms/effects: cause breathing difficulties if inhaled.

Note to Physician: Treat symptomatically

## Section 5. Fire Fighting Measures

Suitable Extinguishing

Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical. Carbon dioxide (CO2). Water

spray. Alcohol resistant foam.

Unsuitable Extinguishing

Media

Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising

from the chemical:

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Vapors may form explosive mixtures with air. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers,

basements, tanks).

Uniform Fire Code:

Hazardous combustion

products:

Flammable Liquid: I-C

Carbon oxides.

Explosion data: Sensitivity to Mechanical Impact: No Sensitivity to Static Discharge:

Yes

Protective equipment &

As in any fire, wear self-contained breathing apparatus pressure-demand,

precautions for firefighters: MSHA/NIOSH (approved or equivalent) and full protective gear.

#### Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Avoid contact with eyes and clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. See section 8 for more information. Eliminate all ignition sources (no smoking, flares, sparks of flames in

immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product

must be grounded. Do not touch or walk through spilled material.

Other Information: Refer to protective measures listed in sections 7 and 8. Prevent further

leakage or spillage if safe to do so. Prevent product from entering drains.

Methods for containment: Prevent further leakage or spillage if safe to do so. Do not touch or walk

through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains,

sewers, ditches and waterways.

Methods for cleaning up: Take precautionary measures against static discharges. Dam up. Soak with

inert absorbent material. Pickup and transfer to properly labeled containers.

#### Section 7. Handling and Storage

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid

contact with eyes and clothing. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable

respiratory equipment.

Storage: Keep containers tightly closed in a dry, cool and well-ventilated place. Store

locked up. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in area equipped with sprinklers. Store in accordance with the particular national regulations.

Store in accordance with local regulations.

Incompatible materials: None known based on information supplied.

#### Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits

Ingredient Name	ACGIH TLV	OSHA PEL	STEL
Ethyl Alcohol 70% v/v	STEL: 1,000 ppm   Note: Upper respiratory track irritation. Confirmed animal carcinogen with unknown relevance to humans.	TWA: 1,000 ppm 1,900mg/mm3   29 CFR 1910.1000 Table Z-1 Limits	N/A
Water	N/A	N/A	N/A
Aloe Barbadensis Leaf Juice	N/A	N/A	N/A
Tocopheryl Acetate	N/A	N/A	N/A
Glycerin	10 mg/m3 (mist)	Total dust: 15 mg/m3 TWA: 10 mg/m3   Respirable fraction: 5 mg/m3 TWA: 5mg/m3	N/A
Isopropyl Myristate	N/A	N/A	N/A
Acrylates/C10-13 Alkyl Acrylates Crosspolymer	N/A	N/A	N/A

Personal Protective Equipment Goggles, Gloves

Exposure guidelines: There is no exposure data pertaining to the Product. This section reflects

exposure data pertaining to individual ingredients.

Other Exposure Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, Guidelines: 965 F.2d 962 (11th Cir,. 1992) See section 15 for national exposure control

parameters.

Engineering Controls: Showers. Eyewash stations. Ventilation.

Eye/Face protection: Tight sealing safety goggles.

Skin and Body Protection: Wear protective gloves/clothing. Long sleeved clothing. Impervious gloves.

Respiratory Protection: No protective equipment is needed under normal use conditions. If irritation is

experienced, ventilation and evacuation may be required.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety practice.

Remove and wash contaminated clothing before re-use. Avoid contact with

eyes and clothing.

## Section 9. Physical and Chemical Properties

Physical State Gel-like liquid  Color Clear to slightly h	271/
Color Clear to	271/
slightly h	271/
	a∠y,
colorles	
Odor Alcohol	
Odor Threshold N/A	
Solubility Miscible	with
water	
Partition coefficient Water/n-octanol N/A	
VOC% N/A	
Viscosity N/A	
Specific Gravity 0.88	
Density lbs/Gal N/A	
Pounds per Cubic Foot N/A	
Flash Point 23°C/73	°F
FP Method N/A	
pH 7.0	
Melting Point N/A	
Boiling Point N/A	
Boiling Range N/A	
LEL N/A	
UEL N/A	
Evaporation Rate N/A	
Flammability N/A	
Decomposition Temperature N/A	
Auto-ignition Temperature N/A	
Vapor Pressure N/A	
Vapor Density N/A	

#### Section 10. Stability and Reactivity

Reactivity: No data available.

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous

reactions:

None under normal processing.

Hazardous polymerization: Does not occur.

Conditions to avoid: Heat. Open flame. Sparks.

Incompatible materials: None known based on information supplied.

Hazardous Decomposition Carbon oxides.

or Byproducts:

#### Section 11. Toxicological Information

Likely Routes of Exposure: Irritating to eyes. May cause redness, itching, and pain.

Likely Routes of Exposure: Prolonged contact may cause redness and irritation.

Skin

Likely Routes of Exposure: May cause irritation of respiratory tract.

Inhalation

Likely Routes of Exposure: Ingestion may cause irritation to mucous membranes. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion

Likely Routes of Exposure: No information available.

Component information:

Acute Toxicity: Inhalation

Ethyl Alcohol CAS No. 64-17-5

LC50

Species: Rat 124.7 mg/L 4hours

Acute Toxicity: Dermal

Glycerin CAS No. 56-81-5

LD50:

Species: Rabbit

>10 g/kg

Information on

Symptoms:

Toxicological Effects: Redness of the skin. May cause redness and tearing of the eyes. Itching.

> Rashes. Hives. Coughing and/or wheezing. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

Sensitization: No information available. Mutagenic Effects: No information available.

Carcinogenicity:

Specific Target Organ No information available.

Toxicity - Single Exposure:

Specific Target Organ Toxicity - Repeated

No information available.

Exposure:

**Chronic Toxicity:** 

No information available.

Target Organ Effects: Eyes. Skin.

Numerical measures of

**Product Information:** No information available.

toxicity:

Page 6 of 9

## Section 12. Ecological Information

There is no ecological data on the Product. The Product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.

Ecotoxicity: No information available.

Persistence/degradability: No information available.

Bioaccumulation: No information available.

Other adverse effects: No information available.

#### Section 13. Disposal

Waste Disposal Methods: This material, as supplied, is not a hazardous waste according to Federal

regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste. If chemical additions are made to this material, or if the material is processed or

otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated packaging: Dispose of in accordance with local regulations.

US EPA Waste Number: D001 California Hazardous 331

Waste Codes:

California Hazardous

Waste:

This product contains one or more substances that are listed with the State of

California as a hazardous waste.

Ethyl Alcohol CAS-No. 64-17-5

Toxic Ignitable

## Section 14. Transport Information

UN Number 8000

UN Proper Shipping Name CONSUMER COMMODITY

DOT Classification 9
Packing Group N/A

IATA: Not permitted for air transport.

IMDG - UN Proper Shipping Ethanol

Name:

IMDG - UN Number: 1170
IMDG - Hazard Class: 3
IMDG - Packing Group: III
TDG - UN Number: 1170
TDG - UN Proper Shipping Ethanol

Name:

TDG - Hazard Class: 3
TDG - Packing Group: III
MEX - UN Number: 1170
MEX - UN Proper Shipping Ethanol

Name:

MEX - Hazard Class: 3
MEX - Packing Group: III
RID - UN Number 1170

RID - UN Proper Shipping Ethanol Solution

Name:

RID - Hazard Class: 3
RID - Packing Group: III
ADR - UN Number: 1170

ADR - UN Proper Shipping Ethanol Solution

Name:

ADR - Hazard Class: 3
ADR - Packing Group: III
ADN - UN Number: 1170

ADN - UN Proper Shipping Ethanol Solution

Name:

ADN - Hazard Class: 3
ADN - Packing Group: III

## Section 15. Regulatory Information

SARA 311/312: Refer to Section 2 of the SDS.

SARA 302: N.A. SARA 304: N.A. SARA 313: N.A.

TSCA: All components are listed or exempt.

CERCLA Hazardous N.A.

Substance List:

Clean Air Act (CAA) Section N.A.

112, 112 (r):

New Jersey Right to Know
Components:

Pennsylvania Right to
Know Components:

Rhode Island Right to
Know Components:

Glycerin
Ethyl Alcohol
Know Components:

Glycerin
Massachusetts Right to
Ethanol

**Know Components:** 

#### Section 16. Other Information

Revision Date 7/23/2024

Legend N.A. - Not Applicable

N.E. - Not Established N.D. - Not Determined

HMIS (U.S.A.): Health 1

Hazard

HMIS (U.S.A.): Flammability 3 HMIS (U.S.A.): Physical 0

Hazard

HMIS (U.S.A.): Personal X

Protection

National Fire Protection 1 Association (U.S.A): Health Hazard

National Fire Protection Association (U.S.A):

Flammability

National Fire Protection 0
Association (U.S.A):

Instability Hazard

National Fire Protection

Association (U.S.A): Physical and Chemical Hazards

Additional Information:

None.

3

The information contained herein is furnished without warranty or legal responsibility of any kind. Employers should use this information only as a supplement to other information gathered by them and must make

independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health

of employees.