

SAFETY DATA SHEET

Issuing Date 17-Jul-2018 Revision date 06-Oct-2022 Revision Number 7

1. Identification

Product identifier

Product Name Sani-Cloth Prime Germicidal Disposable Wipe

Other means of identification

Product Code(s) SDS 0240-00

Synonyms None

Registration Number(s) 9480-12

Other information Bulk Liquid: 4OP25301

Item Number(s): P27372, P26584

Recommended use of the chemical and restrictions on use

before using. Use only according to label directions. It is a violation of Federal law to use

this product in a manner inconsistent to label directions.

Restrictions on use For professional and hospital use.

Details of the supplier of the safety data sheet

Manufacturer Address

Professional Disposables International, Inc.

400 Chestnut Ridge Road Woodcliff Lake, NJ 07677

Emergency telephone number

Emergency Telephone PERS:

1-800-633-8253 (Domestic/Canada) 1-801-699-0667 (International)

2. Hazard(s) identification

Classification

Acute Toxicity	Category 4
Eye Irritant	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 3

Appearance Colorless liquid saturated on Physical state Pre-moistened wipe.

Odor Alcohol

a wipe.

SDS 0240-00 - Sani-Cloth Prime Germicidal Disposable Wipe

Label elements

WARNING

Hazard statements

Flammable liquid and vapor. Causes serious eye irritation. Harmful if inhaled. May cause drowsiness or dizziness.





Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective clothing/eye protection/face protection per facility protocols. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use non-sparking tools.

Take precautionary measures against static discharge.

Use explosion-proof electrical/ ventilating / lighting/ equipment.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Precautionary Statements - Response

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other information

May be harmful if swallowed. May be harmful if inhaled.

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. Composition/information on ingredients

Substance

Mixture

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Isopropyl alcohol	67-63-0	28.7	-	-
Ethyl Alcohol	64-17-5	27.3	-	-
Didecyldimethylammonium chloride	7173-51-5	0.61	-	-

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation If symptoms develop move victim to fresh air. Get medical attention if irritation or other

symptoms persists.

Eye contact Immediately rinse eyes with water for several minutes. Keep eye wide open while rinsing. If

present and easy to do, remove contact lenses and continue rinsing. Get medical attention

if irritation persists.

Skin contact Wash skin with water. Get medical attention if irritation develops or persists.

Ingestion Ingestion is unlikely for solid products. If the free liquid is swallowed, rinse mouth with

water. Do not induce vomiting unless directed to do so by a medical professional. Get

medical attention if you feel unwell.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Direct contact with liquid may cause moderate eye irritation. Direct or prolonged inhalation

of high concentration of vapors may cause upper respiratory tract irritation and central nervous system effects. Swallowing large amounts of liquid may cause gastrointestinal

irritation.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

This product is a solid saturated with a flammable liquid and will burn under fire conditions. Vapors are heavier than air and may flow along surfaces to remote ignition sources and flash back. Combustion may produce oxides of carbon, nitrogen, and ammonia. Flammable

vapors may be invisible in daylight.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

Special protective equipment for fire-fighters

Wear an approved, positive pressure, self-contained breathing apparatus and full protective

clothing. Cool fire exposed containers with water. Contain runoff.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Remove all ignition sources such as open flames, spark producing equipment, pilot lights, Personal precautions

etc. Avoid contact with eyes. Wear appropriate protective clothing as described in Section

8. Avoid breathing vapors.

Other information Avoid releases to the environment. Report spill as required by local and federal regulations.

Methods and material for containment and cleaning up

Methods and Materials for containment and Cleaning Up

Do not reuse towelette. Pick up wipe and place in an appropriate container for infectious waste disposal. Do not flush in toilet. For free liquid, collect using inert absorbent materials and place in an appropriate container for disposal. Use non-sparking tools and equipment.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

None required for normal use. Avoid contact with eyes and skin. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Refer to product label for additional information on use and handling. Do not reuse the empty container or towelette. Do not flush in toilet. Dispose of in accordance with all local, state, and federal regulations.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry location away from incompatible materials. Do not store near heat or

open flame. Do not freeze or expose to extreme cold for a long period. Do not contaminate water, food or feed by storage or disposal. For containers: Protect container from physical

damage. When not in use keep center cap of lid closed to prevent moisture loss.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name		ACGIH TLV		LV OSHA PEL			NIOSH IDLH
Isopropyl alcohol		STEL: 400 ppm		TWA: 400 ppm		IDLH: 2000 ppm	
67-63-0		TWA: 200	ppm	TWA	: 980 mg/m³		TWA: 400 ppm
				(vacated) TWA: 400 ppm			TWA: 980 mg/m ³
					TWA: 980 mg/m ³		STEL: 500 ppm
					STEL: 500 ppm		STEL: 1225 mg/m ³
				(vacated) S	STEL: 1225 mg/m ³		
Ethyl Alcohol		STEL: 1000	ppm	TWA	: 1000 ppm		IDLH: 3300 ppm
64-17-5				TWA: 1900 mg/m ³			TWA: 1000 ppm
				(vacated) TWA: 1000 ppm			TWA: 1900 mg/m ³
				(vacated) TWA: 1900 mg/m ³			
Chemical name		Alberta	British C	olumbia	Ontario		Quebec
Isopropyl alcohol	Т	WA: 200 ppm	TWA: 2	00 ppm	TWA: 200 ppr	n	TWA: 400 ppm
67-63-0		NA: 492 mg/m ³	STEL: 400 ppm		400 ppm STEL: 400 ppm		TWA: 985 mg/m ³
	S	STEL: 400 ppm					STEL: 500 ppm
	S	ΓEL: 984 mg/m ³					STEL: 1230 mg/m ³
Ethyl Alcohol	Т	WA: 1000 ppm	STEL: 1	000 ppm	STEL: 1000 pp	m	STEL: 1000 ppm
64-17-5	TV	VA: 1880 mg/m ³					

Appropriate engineering controls

Engineering controls General ventilation is adequate under normal conditions of use.

Individual protection measures, such as personal protective equipment

Eye/face protectionNo special protective equipment required under normal use conditions. If needed,

defer to facility protocol to avoid eye contact.

Hand protection No special protective equipment required under normal use conditions. If needed defer to

facility protocol to avoid skin contact.

Skin and body protectionNo special protective equipment required under normal use conditions. If needed defer to

facility protocol for suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

Other protective equipment None required under normal conditions of use.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Pre-moistened wipe.

Appearance Colorless liquid saturated on a wipe.

Color Colorless
Odor Alcohol

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 7 - 10

Melting point / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone knownFlash point25.00 °C / 77.00 °FCC (closed cup)Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone known

SDS 0240-00 - Sani-Cloth Prime Germicidal Disposable Wipe

None known

Flammability Limit in Air

No data available

Upper flammability or explosive limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 0.875-0.923

No data available None known Water solubility Solubility in other solvents No data available None known Partition coefficient No data available None known None known **Autoignition temperature** No data available **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Other information

Explosive properties

Oxidizing properties

No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, flames and sparks.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness or dizziness. May be harmful if inhaled.

Eye contact This product is expected to cause moderate irritation to eyes based on test data from the

OPPTS 870.2400 Acute Eye Irritation Study which resulted in Toxicity Category II.

Skin contact May cause minimal irritation. This is based on test data from the OPPTS 870.2500

Acute Skin irritation study which resulted in Toxicity Category IV.

Ingestion Ingestion is unlikely for solid products. This product contains only a small amount of liquid.

No adverse effects are expected. Swallowing the free liquid may cause gastrointestinal

irritation, nausea, vomiting, and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

May cause redness and tearing of the eyes. Inhalation of high vapor concentrations **Symptoms**

may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 4,668.80 mg/kg **ATEmix (dermal)** 7,658.10 mg/kg ATEmix (inhalation-gas) 86,236.60 mg/L ATEmix (inhalation-dust/mist) 20.51 mg/L

Unknown acute toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Oral LD50 Rat. >5000mg/kg body weight **Dermal LD50** Rabbit. >5000 mg/kg body weight

Rat. >2.15 mg/L/4hr **Inhalation LC50**

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg(Rabbit)	> 10000 ppm (Rat) 6 h
Ethyl Alcohol 64-17-5	= 7060 mg/kg (Rat)	-	20
Didecyldimethylammonium chloride 7173-51-5	= 84 mg/kg (Rat)	> 1000 mg/kg (Rat)	-
Ethylene glycol monohexyl ether 112-25-4	= 830 mg/kg(Rat)	= 721 mg/kg(Rabbit)	> 0.5 mg/L (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation This product may cause minimal irritation based on test data.

Eye damage/eye irritation This product may cause moderate irritation to eyes based on test data.

Respiratory or skin sensitization No information available.

No information available. Germ cell mutagenicity

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen

The table below indicates whether each agency has noted any ingredient as a sarollogen.						
Chemical name	ACGIH	IARC	NTP	OSHA		
Isopropyl alcohol 67-63-0	1	Group 3	-	Х		
Ethyl Alcohol 64-17-5	А3	1	Known	Х		

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

SDS 0240-00 - Sani-Cloth Prime Germicidal Disposable Wipe

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program) Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure May cause drowsiness or dizziness.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Isopropyl alcohol	EC50: >1000mg/L (72h,	LC50: =11130mg/L (96h,	-	EC50: =13299mg/L (48h,
67-63-0	Desmodesmus	Pimephales promelas)		Daphnia magna)
	subspicatus)	LC50: =9640mg/L (96h,		_
	EC50: >1000mg/L (96h,	Pimephales promelas)		
	Desmodesmus	LC50: >1400000µg/L		
	subspicatus)	(96h, Lepomis		
	. ,	macrochirus)		
Ethyl Alcohol	-	LC50: 12.0 - 16.0mL/L	-	LC50: 9268 - 14221mg/L
64-17-5		(96h, Oncorhynchus		(48h, Daphnia magna)
		mykiss)		EC50: =2mg/L (48h,
		LC50: 13400 -		Daphnia magna)
		15100mg/L (96h,		
		Pimephales promelas)		
		LC50: >100mg/L (96h,		
		Pimephales promelas)		
Didecyldimethylammoniu	-	LC50: =0.97mg/L (96h,	-	-
m chloride		Danio rerio)		
7173-51-5		-		
Ethylene glycol	EC50: =70mg/L (96h,	LC50: 100 - 220mg/L	EC50 = 2100 mg/L 17 h	EC50: =150mg/L (48h,
monohexyl ether	Desmodesmus	(96h, Brachydanio rerio)		Daphnia magna)
112-25-4	subspicatus)			
	EC50: =98mg/L (72h,			
	Desmodesmus			
	subspicatus)			

Persistence and degradability No information available.

Bioaccumulation No information available.

Component Information

Chemical name	Partition coefficient
Isopropyl alcohol 67-63-0	0.05
Ethyl Alcohol 64-17-5	-0.32
Ethylene glycol monohexyl ether 112-25-4	1.97

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Towelette Disposal: Do not reuse towelette. Dispose of used towelette in trash. Do not flush in toilet.

Dispenser or Container Disposal: Nonrefillable container. Do not reuse or refill this container. Dispose in accordance with all

local, state and federal regulations.

Empty containers or liners may retain some product residues. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. This material and its container must be disposed of in a safe manner. Dispose in accordance with all local, state and federal regulations.

Chemical name	California Hazardous Waste Status
Isopropyl alcohol	Toxic
67-63-0	Ignitable
Ethyl Alcohol	Toxic
64-17-5	Ignitable

14. Transport information

Single Packet Containing <10mL of Saturant:					
	UN Numbe	Proper Shipping Name	hipping Name Hazard Class		Packing Group
US DOT		Not Regulated (49 CFR 172.102 Special Provision 47)		
IMDG		Not Regulated (Special Provision 216)			
IATA		Not Regulated (Special Provision A46)			
	•	Single Packet Containing >10mL of Satura	nt:		
	UN Numbe	Proper Shipping Name	Hazard Class Packin		Packing Group
US DOT	UN3175	Solids containing flammable liquid, n.o.s. (Isopropyl Alcohol, Ethyl Alcohol), Limited Quantity	4.1	4.1 II	
IMDG	UN3175	Solids containing flammable liquid, n.o.s. (Isopropyl Alcohol, Ethyl Alcohol), Limited Quantity	4.1	4.1 II	
IATA	UN3175	Solids containing flammable liquid, n.o.s. (Isopropyl Alcohol, Ethyl Alcohol), Limited Quantity	4.1		II
		Canister:			
	UN Number Proper Shipping Name			Hazard Class	Packing Group
US DOT	UN1987	Alcohols, n.o.s. (contains Ethanol, Isopropanol), Limited Quar		3	III
IMDG	UN1987	987 Alcohols, n.o.s. (contains Ethanol, Isopropanol), Limited Quantity			III
IATA	TA UN1987 Alcohols, n.o.s. (contains Ethanol, Isopropanol), Limited Quantity 3 III			III	

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status.

DSL/NDSL Complies EINECS/ELINCS Complies

ENCS
Contact supplier for inventory compliance status.
Contact supplier for inventory compliance status.
KECL
Contact supplier for inventory compliance status.
Contact supplier for inventory compliance status.
AICS
Contact supplier for inventory compliance status.
Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPČRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reporductice harm. For more information go to www.P65Warnings.ca.gov.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol	X	X	X
67-63-0			
Ethyl Alcohol	X	X	X

64-17-5		
Ethylene glycol monohexyl	X	
ether		
112-25-4		

U.S. EPA Label Information

See EPA Pesticide Registration Number 9480-12.

16. Other information

NFPA Health hazards 2 Flammability 3 Instability 0 Physical and chemical

properties -

HMIS Health hazards 2 Flammability 3 Physical hazards 0 Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Issuing Date 17-Jul-2018

Revision date 06-Oct-2022

Revision NoteNo information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet