

SAFETY DATA SHEET

Creation Date 07-Apr-2014 Revision Date 07-Apr-2014 Revision Number 1

1. Identification

Product Name Shandon CytoRich Red Collection Fluid

Cat No.: B9990800, B9990801, B9990802, B9990803

Synonyms No information available.

Recommended Use Laboratory chemicals

Uses advised against No Information available

Details of the supplier of the safety data sheet

CompanyEmergency Telephone NumberRichard Allan ScientificChemtrec US: (800) 424-9300

A Subsidiary of Thermo Fisher Scientific 4481 Campus Drive

Kalamazoo, MI 49008 Tel: (800) 522-7270

2. Hazard(s) identification

Chemtrec EU: 001 (202) 483-7616

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 3 Acute oral toxicity Category 4 Acute Inhalation Toxicity - Dusts and Mists Category 3 Skin Corrosion/irritation Category 2 Category 2 Serious Eye Damage/Eye Irritation Skin Sensitization Category 1 Carcinogenicity Category 1A Specific target organ toxicity (single exposure) Category 1 Target Organs - Respiratory system, Central nervous system (CNS), Optic nerve. Specific target organ toxicity - (repeated exposure) Category 1 Target Organs - Kidney, Liver.

Label Elements

Signal Word

Danger

Hazard Statements

Flammable liquid and vapor

Thermo Fisher Scientific - Shandon CytoRich Red Collection Fluid

Harmful if swallowed

Causes skin irritation

Causes serious eve irritation

May cause an allergic skin reaction

Toxic if inhaled

May cause respiratory irritation

May cause drowsiness or dizziness

May cause cancer

Causes damage to organs

Causes damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Wear protective gloves/protective clothing/eye protection/face protection

Response

IF exposed: Call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

Skin

If skin irritation or rash occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention.

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other hazards

Poison, may be fatal or cause blindness if swallowed. Vapor harmful, Cannot be made non-poisonous, WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

3. Composition / information on ingredients

Haz/Non-haz

Component	CAS-No	Weight %
Water	7732-18-5	60-63
Isopropyl alcohol	67-63-0	20-23
Methyl alcohol	67-56-1	7-10
Ethylene glycol	107-21-1	6-8
Formaldehyde	50-00-0	1-3
Sodium hydroxide	1310-73-2	<1
Monosodium phosphate	1333-80-8	<1
Sodium chloride	7647-14-5	<1
Sodium acetate	127-09-3	<1
FD&C red No. 40	25956-17-6	<1

4. First-aid measures

If symptoms persist, call a physician. Show this safety data sheet to the doctor in attendance. **General Advice**

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain

medical attention. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If

symptoms persist, call a physician.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention, If

> skin irritation persists, call a physician. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Obtain medical attention. Immediate

medical attention is not required. Move to fresh air in case of accidental inhalation of vapors. If

symptoms persist, call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting without

medical advice. Never give anything by mouth to an unconscious person. Consult a physician.

May cause allergic skin reaction.. Breathing difficulties. . Symptoms of allergic reaction may Most important symptoms/effects

include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing. Symptoms of overexposure may be

headache, dizziness, tiredness, nausea and vomiting.

Notes to Physician Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed containers exposed to fire with water spray.

Unsuitable Extinguishing Media No information available.

Flash Point 27.8°C / 82°F

Method - No information available

Autoignition Temperature

Explosion Limits

No information available.

UpperNo data availableLowerNo data available

Sensitivity to Mechanical

No information available

Impact

Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Vapors may form explosive mixtures with air.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Thermal decomposition can lead to release of

irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards330N/A

6. Accidental release measures

Personal Precautions Use personal protective equipment. Ensure adequate ventilation. Remove all sources of

ignition. Take precautionary measures against static discharges. Evacuate personnel to safe

areas. Keep people away from and upwind of spill/leak.

Environmental Precautions Should not be released into the environment. Do not flush into surface water or sanitary sewer

system. See Section 12 for additional ecological Information. Prevent further leakage or

spillage if safe to do so. Prevent product from entering drains.

Methods for Containment and Clean

Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

7. Handling and storage

Handling Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. Ensure

adequate ventilation. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges. Pay attention to flashback. No information available.. Do not take

internally.

Storage Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and

sources of ignition. Keep containers tightly closed in a cool, well-ventilated place. Keep in

properly labeled containers.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol	TWA: 200 ppm	(Vacated) TWA: 400 ppm	IDLH: 2000 ppm
	STEL: 400 ppm	(Vacated) TWA: 980 mg/m ³	TWA: 400 ppm
		(Vacated) STEL: 500 ppm	TWA: 980 mg/m ³
		(Vacated) STEL: 1225 mg/m ³	STEL: 500 ppm
		TWA: 400 ppm	STEL: 1225 mg/m ³
		TWA: 980 mg/m ³	_
Methyl alcohol	TWA: 200 ppm	(Vacated) TWA: 200 ppm	IDLH: 6000 ppm
,	STEL: 250 ppm	(Vacated) TWA: 260 mg/m ³	TWA: 200 ppm
	Skin	(Vacated) STEL: 250 ppm	TWA: 260 mg/m ³
		(Vacated) STEL: 325 mg/m ³	STEL: 250 ppm
		Skin	STEL: 325 mg/m ³
		TWA: 200 ppm	-
		TWA: 260 mg/m ³	
Ethylene glycol	Ceiling: 100 mg/m ³	(Vacated) Ceiling: 50 ppm	
, , ,		(Vacated) Ceiling: 125 mg/m ³	
Formaldehyde	Ceiling: 0.3 ppm	(Vacated) TWA: 3 ppm	IDLH: 20 ppm
·		(Vacated) STEL: 10 ppm	TWA: 0.016 ppm
		(Vacated) Ceiling: 5 ppm	Ceiling: 0.1 ppm
		TWA: 0.75 ppm	0
		STEL: 2 ppm	
Sodium hydroxide	Ceiling: 2 mg/m ³	(Vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³
,		TWA: 2 mg/m ³	Ceiling: 2 mg/m ³

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Isopropyl alcohol	TWA: 400 ppm	TWA: 400 ppm	TWA: 200 ppm
	TWA: 985 mg/m ³	TWA: 980 mg/m ³	STEL: 400 ppm
	STEL: 500 ppm	STEL: 500 ppm	
	STEL: 1230 mg/m ³	STEL: 1225 mg/m ³	
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
•	TWA: 262 mg/m ³	TWA: 260 mg/m ³	STEL: 250 ppm
	STEL: 250 ppm	STEL: 250 ppm	Skin
	STEL: 328 mg/m ³	STEL: 310 mg/m ³	
	Skin		
Ethylene glycol	Ceiling: 50 ppm	Ceiling: 100 mg/m ³	CEV: 100 mg/m ³
, ,,	Ceiling: 127 mg/m ³		-
Formaldehyde	Ceiling: 2 ppm	Ceiling: 2 ppm	STEL: 1.0 ppm
·	Ceiling: 3 mg/m ³	Ceiling: 3 mg/m ³	CEV: 1.5 ppm
Sodium hydroxide	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	CEV: 2 mg/m ³

Legend

ACGIH - American Conference of Governmental Hygienists
OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Ensure that eyewash stations and safety showers are close to the workstation location. Ensure

adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection Tightly fitting safety goggles. Face-shield.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure. Long sleeved

clothing. Apron. Impervious gloves.

Respiratory Protection No protective equipment is needed under normal use conditions.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. When using, do not eat,

drink or smoke. Provide regular cleaning of equipment, work area and clothing.

9. Physical and chemical properties

9. Physical and chemical properties

Physical State Liquid Appearance Light red

Odor Characteristic Alcohol-like Odor

Odor Threshold No information available.

H 7.4 - 7.6

Melting Point/RangeNo data availableBoiling Point/Range83°C / 181.4°FFlash Point27.8°C / 82°F

Evaporation RateNo information available.

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper No data available No information available. Vapor Density No information available. Relative Density No information available. Solubility No information available. Partition coefficient; n-octanol/water No data available

Autoignition Temperature

No information available.

No information available.

Viscosity No information available.

10. Stability and reactivity

Reactive Hazard None known, based on information available.

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources

of ignition.

Incompatible Materials Strong oxidizing agents, Strong acids

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO₂), Thermal decomposition can lead to release of

irritating gases and vapors

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product InformationNo acute toxicity information is available for this product

Oral LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Category 4. ATE

= 300 - 2000 mg/kg.

Dermal LD50Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. **Vapor LC50**Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	Not listed	Not listed
Isopropyl alcohol	5840 mg/kg (Rat)	13900 mg/kg (Rat) 12870 mg/kg (Rabbit)	72.6 mg/L (Rat)4 h
Methyl alcohol	5628 mg/kg (Rat)	15800 mg/kg (Rabbit)	64000 ppm (Rat)4 h 83.2 mg/L (Rat)4 h

Ethylene glycol	4000 mg/kg (Rat)	9530 µL/kg (Rabbit)	Not listed
Formaldehyde	500 mg/kg (Rat)	270 mg/kg (Rabbit)	0.578 mg/L (Rat) 4 h
Sodium hydroxide	Not listed	1350 mg/kg (Rabbit)	Not listed
Sodium chloride	3 g/kg (Rat)	10 g/kg (Rabbit)	42 g/m³ (Rat) 1 h
Sodium acetate	3530 mg/kg (Rat)	10 g/kg (Rabbit)	30 g/m³ (Rat) 1 h
FD&C red No. 40	10 g/kg (Rat)	10 g/kg (Rabbit)	Not listed

Toxicologically Synergistic

No information available.

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritating to eyes Irritation

Sensitization No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed				
Isopropyl alcohol	67-63-0	Not listed				
Methyl alcohol	67-56-1	Not listed				
Ethylene glycol	107-21-1	Not listed				
Formaldehyde	50-00-0	Group 1	Known	A2	Χ	A2
Sodium hydroxide	1310-73-2	Not listed				
Monosodium phosphate	1333-80-8	Not listed				
Sodium chloride	7647-14-5	Not listed				
Sodium acetate	127-09-3	Not listed				
FD&C red No. 40	25956-17-6	Not listed				

IARC: (International Agency for Research on Cancer) IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Mexico - Occupational Exposure Limits - Carcinogens

Hygienists)

NTP: (National Toxicity Program)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen

A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects No information available.

Reproductive Effects No information available.

Developmental Effects No information available.

No information available. **Teratogenicity**

STOT - single exposure Respiratory system, Central nervous system (CNS), Optic nerve.

STOT - repeated exposure Kidney, Liver.

No information available. **Aspiration hazard**

Symptoms / effects, both acute and delayed

Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing. Symptoms

of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Endocrine Disruptor Information No information available

12. Ecological information

Ecotoxicity

Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Isopropyl alcohol	1000 mg/L EC50 > 96 h	1400000 μg/L LC50 96 h	= 35390 mg/L EC50	13299 mg/L EC50 = 48 h
	1000 mg/L EC50 > 72 h	9640 mg/L LC50 96 h	Photobacterium	9714 mg/L EC50 = 24 h
	-	11130 mg/L LC50 96 h	phosphoreum 5 min	-
		_		
Methyl alcohol	Not listed	Pimephales promelas: LC50	EC50 = 39000 mg/L 25 min	EC50 > 10000 mg/L 24h
		> 10000 mg/L 96h	EC50 = 40000 mg/L 15 min	
			EC50 = 43000 mg/L 5 min	
Ethylene glycol	6500 - 13000 mg/L EC50 96	27540 mg/L LC50 96 h	EC50 = 10000 mg/L 16 h	46300 mg/L EC50 = 48 h
, ,,	h	16000 mg/L LC50 96 h	EC50 = 620 mg/L 30 min	-
		41000 mg/L LC50 96 h	EC50 = 620.0 mg/L 30 min	
		14 - 18 mL/L LC50 96 h	-	
		40000 - 60000 mg/L LC50 96		
		h		
		40761 mg/L LC50 96 h		
Formaldehyde	Not listed	Leuciscus idus: LC50 = 15	Not listed	EC50 = 20 mg/L 96h
		mg/L 96h		EC50 = 2 mg/L 48h
Sodium hydroxide	-	45.4 mg/L LC50 96 h	=	-
Sodium chloride	-	Pimephals prome: LC50:	-	EC50: 1000 mg/L/48H
		7650 mg/L/96H		· ·
Sodium acetate	-	5000 mg/L LC50 24 h	= 7200 mg/L EC50	1000 mg/L EC50 > 48 h
			Pseudomonas putida 18 h	-
			•	

Persistence and Degradability Persistence is unlikely, based on information available.

Bioaccumulation/ Accumulation No information available

Mobility Will likely be mobile in the environment due to its volatility.

Component	log Pow
Isopropyl alcohol	0.05
Methyl alcohol	-0.74
Ethylene glycol	-1.93
Formaldehyde	-0.35
Sodium acetate	-4.22

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification

	Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Π	Methyl alcohol - 67-56-1	U154	=
	Formaldehyde - 50-00-0	U122	-

14. Transport information

DOT

UN-No UN1987

Proper Shipping Name ALCOHOLS, N.O.S.

Proper technical name (ISOPROPANOL, METHANOL)

Hazard Class 3 Packing Group III

TDG

UN-No UN1987

Proper Shipping Name ALCOHOLS, N.O.S.

Hazard Class 3
Packing Group III

IATA

UN-No UN1987

Proper Shipping Name ALCOHOLS, N.O.S.

Hazard Class 3 Packing Group III

IMDG/IMO

UN-No UN1987

Proper Shipping Name ALCOHOLS, N.O.S.

Hazard Class 3
Packing Group III

15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Water	X	Х	-	231-791-2	-		Х	-	Х	Х	Х
Isopropyl alcohol	X	Х	-	200-661-7	-		Х	Χ	Х	Х	Х
Methyl alcohol	X	Х	-	200-659-6	-		Х	Χ	Х	Χ	Χ
Ethylene glycol	X	Х	-	203-473-3	-		X	X	Χ	X	Χ
Formaldehyde	X	Х	-	200-001-8	-		Х	Χ	Х	Х	Х
Sodium hydroxide	X	Х	-	215-185-5	-		Х	Χ	Х	Х	Х
Sodium chloride	X	Х	-	231-598-3	-		Х	Χ	Х	Х	Х
Sodium acetate	Х	Х	-	204-823-8	-		Х	Χ	Χ	Χ	Х
FD&C red No. 40	Х	X	-	247-368-0	_		X	_	X	X	X

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)

Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold
			Values %
Isopropyl alcohol	67-63-0	20-23	1.0
Methyl alcohol	67-56-1	7-10	1.0
Ethylene glycol	107-21-1	6-8	1.0
Formaldehyde	50-00-0	1-3	0.1

SARA 311/312 Hazardous Categorization

Acute Health HazardYesChronic Health HazardYesFire HazardYesSudden Release of Pressure HazardNoReactive HazardNo

Clean Water Act

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Formaldehyde	X	100 lb	-	-
Sodium hydroxide	X	1000 lb	-	-

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors	
Methyl alcohol	X		-	
Ethylene glycol	X		-	
Formaldehyde	X		-	

OSHA Occupational Safety and Health Administration Not applicable

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Formaldehyde	2 ppm STEL	TQ: 1000 lb
	0.5 ppm Action Level	
	0.75 ppm TWA	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Methyl alcohol	5000 lb	-
Ethylene glycol	5000 lb	-
Formaldehyde	100 lb	100 lb
Sodium hydroxide	1000 lb	-

California Proposition 65

This product contains the following Proposition 65 chemicals:

Component	CAS-No	California Prop. 65	Prop 65 NSRL
Methyl alcohol	67-56-1	Methanol	-
Formaldehyde	50-00-0	Carcinogen	40 μg/day

State Right-to-Know

Thermo Fisher Scientific - Shandon CytoRich Red Collection Fluid

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Isopropyl alcohol	X	X	X	-	X
Methyl alcohol	Χ	Χ	X	Χ	X
Ethylene glycol	X	X	X	X	X
Formaldehyde	X	X	X	X	X
Sodium hydroxide	X	X	X	-	X

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product contains the following DHS chemicals:

Component	DHS Chemical Facility Anti-Terrorism Standard
Formaldehyde	11250 lb STQ (solution)

Other International Regulations

Mexico - Grade Serious risk, Grade 3

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class B2 Flammable liquid

D2A Very toxic materials D1A Very toxic materials



16. Other information

Prepared By Regulatory Affairs

Richard Allan Scientific

A Subsidiary of Thermo Fisher Scientific

Tel: (800) 522-7270

 Creation Date
 07-Apr-2014

 Revision Date
 07-Apr-2014

 Print Date
 07-Apr-2014

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS