



SAFETY DATA SHEET Coverage® Spray TB Plus

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1. Identification

Product identifier

Product name Coverage® Spray TB Plus

Product number 162908, 1629B4

Recommended use of the chemical and restrictions on use

Application Hospital/Medical/Surgical Sanitizer & Disinfectant Cleaner, Bactericidal, Fungicidal, Virucidal, Tuberculocidal For professional use only

Details of the supplier of the safety data sheet

Supplier SC Johnson Professional USA, Inc.
2815 Coliseum Centre Dr., Suite 600 Charlotte, NC 28217
Tel: 1-800-248-7190 (Industrial/Institutional); 1-866-783-0422 (Healthcare)
cs.proUS@scj.com (Industrial/Institutional); cs.healthcareUS@scj.com (Healthcare)

Emergency telephone number

Emergency telephone (800) 424-9300 CHEMTREC (North America)

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Flam. Liq. 3 - H226

Health hazards Eye Irrit. 2A - H319 STOT SE 3 - H336

Environmental hazards Not Classified

Label elements

Hazard symbols



Signal word Warning

Hazard statements H226 Flammable liquid and vapor.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Coverage® Spray TB Plus

Precautionary statements	<p>P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking.</p> <p>P233 Keep container tightly closed.</p> <p>P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.</p> <p>P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p> <p>P312 Call a poison center/ doctor if you feel unwell.</p> <p>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</p> <p>P403+P235 Store in a well-ventilated place. Keep cool.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
---------------------------------	---

Contains PROPAN-2-OL

Labeling notes 1% of the mixture consists of ingredients of unknown acute toxicity

3. Composition/information on ingredients

Mixtures

PROPAN-2-OL 10-30% CAS number: 67-63-0
Classification Flam. Liq. 2 - H225 Eye Irrit. 2A - H319 STOT SE 3 - H336
2-BUTOXYETHANOL 1-10% CAS number: 111-76-2
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

The full text for all hazard statements is displayed in Section 16.

4. First-aid measures

Description of first aid measures

General information	Do not give victim anything to drink if they are unconscious. Get medical advice/attention if you feel unwell.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.
Ingestion	Get medical attention if a large quantity has been ingested.
Skin Contact	Skin irritation should not occur when used as recommended. Get medical attention if symptoms are severe or persist.
Eye contact	In case of contact, immediately flush eyes with large amounts of water, continuing to flush for 15 minutes. If irritation persists get medical attention. Make sure to remove any contact lenses from the eyes before rinsing.

Coverage® Spray TB Plus

Most important symptoms and effects, both acute and delayed

Inhalation	Vapors may cause headache, fatigue, dizziness and nausea. May cause respiratory irritation.
Ingestion	Harmful if swallowed. May cause stomach pain or vomiting.
Skin contact	May cause irritation.
Eye contact	Eye contact may cause eye reddening, itching, burning or other discomfort. Causes serious eye irritation.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog.

Special hazards arising from the substance or mixture

Specific hazards Liquid absorbed on wipe is flammable.

Hazardous combustion products Oxides of carbon.

Advice for firefighters

Protective actions during firefighting Keep upwind to avoid inhalation of gases, vapors, fumes and smoke. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For emergency responders Use appropriate personal protection equipment (PPE)

Environmental precautions

Environmental precautions Avoid discharge into water courses or onto the ground.

Methods and material for containment and cleaning up

Methods for cleaning up Pick up material and place in suitable container. Do not flush or allow to enter waterways. Provide ventilation

7. Handling and storage

Precautions for safe handling

Usage precautions Do not eat, drink or smoke when using the product. Protect electric equipment against sparking in case of risk of explosion. Take precautionary measures against static discharge.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly closed original container in a dry, cool and well-ventilated place.

8. Exposure controls/Personal protection

Control parameters

Occupational exposure limits

PROPAN-2-OL

Long-term exposure limit (8-hour TWA): OSHA 400 ppm 980 mg/m³

OSHA = Occupational Safety and Health Administration.

Coverage® Spray TB Plus

PROPAN-2-OL (CAS: 67-63-0)

Immediate danger to life and health 2000 ppm

Exposure controls

Appropriate engineering controls Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment. Use explosion-proof ventilation equipment.

Hygiene measures Do not eat, drink or smoke when using this product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear Colourless Liquid
Odor	Alcoholic.
pH	7.6 (liquid)
Flash point	30°C (liquid)
Relative density	0.97 g/mL

10. Stability and reactivity

Reactivity	None known.
Stability	Stable at normal ambient temperatures and when used as recommended. May form flammable/explosive vapor-air mixture.
Conditions to avoid	Keep away from heat, sparks and open flame.
Materials to avoid	Oxidizing agents.
Hazardous decomposition products	Oxides of carbon.

11. Toxicological information

Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 20,000.0

Acute toxicity - dermal

ATE dermal (mg/kg) 44,000.0

Acute toxicity - inhalation

ATE inhalation (gases ppm) 180,000.0

ATE inhalation (vapours mg/l) 440.0

ATE inhalation (dusts/mists mg/l) 60.0

Toxicological information on ingredients.

PROPAN-2-OL

Coverage® Spray TB Plus

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 5,840.0

Species Rat

ATE oral (mg/kg) 5,840.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD50 16.4mL/kg bw Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC50 >10000ppm RAT

Skin corrosion/irritation

Animal data Primary dermal irritation index: 0

12. Ecological information

Ecotoxicity No data on possible environmental effects have been found.

Ecological information on ingredients.

PROPAN-2-OL

Acute aquatic toxicity

Acute toxicity - fish LC50, 96 hours: 9600 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic invertebrates LC₅₀, 24 hour: >1000 mg/l, Daphnia magna

Acute toxicity - aquatic plants , 7 days: 1800 mg/l, Scenedesmus quadricauda

Acute toxicity - microorganisms , 16 hour: 1050 mg/l, Pseudomonas putida

13. Disposal considerations

Waste treatment methods

General information Refillable container. Refill this container with only the product originally supplied in this container. Do not reuse this container for any other purpose. When empty, fill the container about 20 percent full of water. Agitate vigorously and dispose of contents on site or at an approved waste disposal facility. Offer container for recycling, if available; otherwise dispose of container in trash.

Disposal methods Collect and place in suitable waste disposal containers and seal securely. Dispose of waste and residues in accordance with local authority requirements.

14. Transport information

General Not regulated.

15. Regulatory information

Regulatory Status This product is a US EPA registered pesticide

Coverage® Spray TB Plus

Regulatory References

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use. EPA FIFRA Signal Word: CAUTION EPA FIFRA Precautionary Statements: HAZARDS TO HUMANS AND DOMESTIC ANIMALS.
 Keep out of reach of children.
 Causes moderate eye irritation.
 Avoid contact with eyes or clothing
 Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

National regulations

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.
 EPA FIFRA Signal Word: CAUTION
 EPA FIFRA Hazard Statements:
 Keep out of reach of children.
 May be harmful if inhaled or absorbed through skin.
 May cause moderate eye irritation.
 Avoid breathing vapors and contact with eyes, skin or clothing
 Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
 Remove contaminated clothing and wash clothing before reuse.

US Federal Regulations

SARA (311/312) Hazard Categories

Immediate (acute) health hazard

16. Other information

General information	This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200
Revision comments	Company name change
Revision date	5/16/2019
Revision	8
Supersedes date	2/27/2018
SDS No.	21597
Hazard statements in full	H225 Highly flammable liquid and vapor. H226 Flammable liquid and vapor. H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness.

Coverage® Spray TB Plus