

Name, address, and telephone number of

the manufacturer:

Refer to supplier

Safetec® Sting Relief

SDS Revision Date (mm/dd/yyyy): 01/18/2024

Page 1 of 11

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: Safetec® Sting Relief

Other means of identification: 9900039

Premoistened Towelette

Bottles: 2.0 oz.

Recommended use of the chemical and restrictions on use

: Personal Care Applications Restriction on use: None known

Chemical family : Mixture.

Name, address, and telephone number

of the supplier:

Safetec of America, Inc. 887 Kensington Avenue Buffalo, NY, USA

14215

Supplier's Telephone # : (716)895-1822 24 Hr. Emergency Tel # 1-800-255-3924

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Off white liquid. Antiseptic odor.

This product is sold as a personal care item that is safe for consumers and other users under normal and reasonably foreseeable use. As such, it is not regulated under Hazcom 2012/WHMIS 2015 labeling and SDS requirements do not apply.

For informational purposes, this product would have the following OSHA Hazcom 2012 and WHMIS 2015 classification. Flammable liquids - Category 2 Eye irritation- Category 2A

Label elements

Hazard pictogram(s)





Signal Word

Danger

Hazard statement(s)

Highly flammable liquid and vapor. Causes serious eye irritation.



Safetec® Sting Relief

SDS Revision Date (mm/dd/yyyy): 01/18/2024

Page 2 of 11

SAFETY DATA SHEET

Precautionary statement(s)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking.

Keep container tightly closed.

Take precautionary measures against static discharge. Ground and bond container and receiving equipment.

Use non-sparking tools.

Use explosion-proof electrical and ventilating equipment.

Wash thoroughly after handling.

Wear protective gloves and eye/face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

In case of fire: Use water fog, dry chemical, CO2 or 'alcohol' foam to extinguish. Store locked up. Store in a well-ventilated place. Keep cool.

Dispose of in accordance with local regulations.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	Common name and synonyms	CAS#	Concentration (% by weight)
Ethanol	Alcohol Ethyl alcohol	64-17-5	50.0 - 55.0
Acetamide, 2-(diethylamino)-N- (2,6-dimethylphenyl)-, monohydrochloride, monohydrate	Lidocaine HCI, Monohydrate	6108-05-0	2.0 - 3.0
Menthol	Menthol, USP	2216-51-5	0.1 - 1.0
Quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides	Benzalkonium chloride	63449-41-2	<0.1

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

IngestionIn Harmful effects are not expected under normal usage.InhalationHarmful effects are not expected under normal usage.

Skin contact : Harmful effects are not expected under normal usage. If skin irritation or rash occurs:

Get medical advice/attention.

Eye contact : If in eyes: Rinse cautiously with water for several minutes. If eye irritation persists: get

medical advice/attention.

Most important symptoms and effects, both acute and delayed

: None expected, when used as intended.

Indication of any immediate medical attention and special treatment needed

: Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

: Dry chemicals. Foam. Carbon dioxide (CO2). Water or fog spray.



of America, Inc.

Safetec® Sting Relief

SDS Revision Date (mm/dd/yyyy): 01/18/2024

Page 3 of 11

SAFETY DATA SHEET

Unsuitable extinguishing media

: Do not use water jet as extinguisher, as this will spread the fire.

Special hazards arising from the substance or mixture / Conditions of flammability

: Flammable liquid and vapor. Vapors are heavier than air and may spread along floors.

Flammability classification (OSHA 29 CFR 1910.106)

: Flammable Liquids - Category 3

Hazardous combustion products

: Carbon oxides.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters should wear an approved full-face, self-contained breathing apparatus (SCBA) and impervious clothing.

Special fire-fighting procedures

: Cool containers exposed to heat with water spray and remove container, if no risk is involved.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate personal protective equipment.

Environmental precautions: Avoid release to the environment.

Methods and material for containment and cleaning up

: Wipe up with absorbent material (e.g. cloth, fleece).

Special spill response procedures

: Not applicable.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking. Do not ingest or swallow. Observe good industrial hygiene practices.

Conditions for safe storage

Keep containers closed when not in use.

Incompatible materials : Stron

Strong oxidizing agents. Acids.



Safetec® Sting Relief

SDS Revision Date (mm/dd/yyyy): 01/18/2024

Page 4 of 11

SAFETY DATA SHEET

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:				
Chemical Name	<u>ACGI</u>	H TLV	<u>OSHA I</u>	PEL
	<u>TWA</u>	STEL	<u>PEL</u>	<u>STEL</u>
Ethanol	N/Av	1000 ppm	1000 ppm (1900 mg/m³)	N/Av
Acetamide, 2-(diethylamino)-N- (2,6-dimethylphenyl)-, monohydrochloride, monohydrate	N/Av	N/Av	N/Av	N/Av
Menthol	N/Av	N/Av	N/Av	N/Av
Quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides	N/Av	N/Av	N/Av	N/Av

Exposure controls

Ventilation and engineering measures

: None required under normal conditions.

Respiratory protection : None required under normal conditions.

Skin protection : None required under normal conditions.

Eye / face protection : None required under normal conditions.

Other protective equipment : None required when used as intended.

General hygiene considerations

: Always observe good personal hygiene measures, such as washing after handling the

material and before eating, drinking, and/or smoking.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Off white liquid.
Odour : Antiseptic odor.
Odour threshold : Not available.
PH : Not available.
Melting Point/Freezing point : Not available.

Initial boiling point and boiling range

: Not available.

Flash point : 15.7°C (60.3°F)
Flashpoint (Method) : Closed cup
Evaporation rate (BuAe = 1) : Not available.
Flammability (solid, gas) : Not applicable.

Lower flammable limit (% by vol.)

3.3%

Upper flammable limit (% by vol.)

: 19%

Oxidizing properties: Not applicableExplosive properties: Not explosiveVapour pressure: Not available.



Safetec® Sting Relief

SDS Revision Date (mm/dd/yyyy): 01/18/2024

Page 5 of 11

SAFETY DATA SHEET

Vapour density : Not available.

Relative density / Specific gravity

: 0.92

Solubility in water : Complete
Other solubility(ies) : Not available.

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: Not available.

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

Viscosity : Not available.

Volatiles (% by weight) : Not available.

Volatile organic Compounds (VOC's)

: Not available.

Absolute pressure of container

: Not available.

Flame projection length : Not available.

Other physical/chemical comments

: None known or reported by the manufacturer.

SECTION 10. STABILITY AND REACTIVITY

Reactivity: The product is stable and non-reactive under normal conditions of use, storage and

transport.

Chemical stability : Material is stable under normal conditions.

Possibility of hazardous reactions

: Hazardous polymerization does not occur.

Conditions to avoid : Keep away from heat, sparks and open flames.

Incompatible materials : See Section 7 (Handling and Storage) for further details.

Hazardous decomposition products

: See Section 5 (Fire Fighting Measures).

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption

: YES

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation


None expected, when used as intended.

Sign and symptoms ingestion

: None expected, when used as intended.

Sign and symptoms skin : None expected, when used as intended.

Sign and symptoms eyes : None expected, when used as intended.





Safetec® Sting Relief

SDS Revision Date (mm/dd/yyyy): 01/18/2024

Page 6 of 11

SAFETY DATA SHEET

Potential Chronic Health Effects

: None expected, when used as intended.

Mutagenicity : Not expected to be mutagenic.

Carcinogenicity : This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive effects & Teratogenicity

: This product is not expected to cause reproductive or developmental effects.

Sensitization to material: Not expected to be a skin or respiratory sensitizer.

Specific target organ effects: None expected, when used as intended.

Medical conditions aggravated by overexposure

: None reported by the manufacturer.

Synergistic materials : None reported by the manufacturer.

Toxicological data : See below for individual ingredient acute toxicity data.

	LC50(4hr)	LD ₅₀			
Chemical name	<u>inh, rat</u>	(Oral, rat)	(Rabbit, dermal)		
Ethanol	> 32 380 ppm (61 mg/L) 4 hours (vapour)	7060 mg/kg	> 15 800 mg/kg		
Acetamide, 2- (diethylamino)-N- (2,6-dimethylphenyl)-, monohydrochloride, monohydrate	N/Av	N/Av	N/Av		
Menthol	N/Av	3300 mg/kg	N/Av		
Quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides	N/Av	1420mg/kg	N/Av		

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity : The product is not classified as environmentally hazardous. Avoid release to the

environment.

Ecotoxicity data:

<u>Ingredients</u>	CAC #	Toxicity to Fish				
	CAS#	LC50 / 96h	NOEC / 21 day	M Factor		
Ethanol	64-17-5	> 100 mg/L Fathead minnow (Pimephales promelas)	N/Av	N/Av		

<u>Ingredients</u>	CAS#	Toxicity to Daphnia				
		EC50 / 48h	NOEC / 21 day	M Factor		
Ethanol	64-17-5	5012 mg/L Water flea (Daphnia magna)	N/Av	N/Av		



Safetec® Sting Relief

SDS Revision Date (mm/dd/yyyy): 01/18/2024

Page 7 of 11

SAFETY DATA SHEET

<u>Ingredients</u>	CAS#	Toxicity to Algae				
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor		
Ethanol	64-17-5	1000 mg/L/96hr Green algae (Selenastrum capricornutum)	N/Av	N/Av		

Persistence and degradability

: Not available.

Bioaccumulation potential : Not available.

<u>Components</u>	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Ethanol (CAS 64-17-5)	- 0.31	N/Av
Acetamide, 2-(diethylamino)-N- (2,6-dimethylphenyl)-, monohydrochloride, monohydrate (CAS 6108-05-0)	N/Av	N/Av
Menthol (CAS 2216-51-5)	N/Av	N/Av

Mobility in soil : Not available.

Other Adverse Environmental effects

: None known or reported by the manufacturer.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for DisposalMethods of DisposalDispose of in accordance with local regulations.Dispose of in accordance with local regulations.

RCRA: Not applicable.



Safetec® Sting Relief

SDS Revision Date (mm/dd/yyyy): 01/18/2024

Page 8 of 11

SAFETY DATA SHEET

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label		
49CFR/DOT	UN1170	ETHANOL SOLUTION	New LTD QTY	II	\Diamond		
49CFR/DOT Additional information	May be shipped exceeding 30 k	d as LIMITED QUANTITY when transported in quantities no g gross mass.	o larger than 1	Litre, in pac	kages not		
ICAO/IATA	UN1170	Ethanol Solution	LQ air	II	Y (3)		
ICAO/IATA Additional information	Refer to ICAO/IATA Packing Instruction May be shipped as LIMITED QUANTITY when transported in quantities no larger than 1 Litre, in packages not exceeding 30 kg gross mass.						
IMDG	UN1170	ETHANOL SOLUTION	LQ ground	II	\Diamond		
IMDG Additional information	Consult the IMI EmS No. F-E,	DG regulations for exceptions. S-D					
TDG	UN1170	ETHANOL SOLUTION	LQ ground	II	\Diamond		
TDG Additional information	May be shipped exceeding 30 kg	d as LIMITED QUANTITY when transported in quantities no g gross mass.	lo larger than 1	Litre, in pac	ckages not		

Special precautions for user: Keep away from heat and flame.

Environmental hazards

This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See Section 12 for more environmental information.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not established.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:



Safetec® Sting Relief

SDS Revision Date (mm/dd/yyyy): 01/18/2024

Page 9 of 11

SAFETY DATA SHEET

<u>Ingredients</u>	242 "	TSCA	Reportable	SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical		
	CAS#	Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration	
Ethanol	64-17-5	Yes	N/Ap	N/Ap	No	N/Ap	
Acetamide, 2- (diethylamino)-N- (2,6-dimethylphenyl)-, monohydrochloride, monohydrate	6108-05-0	NL	None.	N/Av	No	N/Ap	
Menthol	2216-51-5	Yes	None.	N/Av	No	N/Ap	
Quaternary ammonium compounds, benzyl-C8-18-alkyldimeth yl, chlorides	63449-41-2	Yes	N/Ap	N/Av	No	N/Ap	

SARA TITLE III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372: Flammable; Eye irritation;

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS#	California Proposition 65		State "Right to Know" Lists					
	CAO#	Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Ethanol	64-17-5	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes
Acetamide, 2- (diethylamino)-N- (2,6-dimethylphenyl)-, monohydrochloride, monohydrate	6108-05-0	No	N/Ap	No	No	No	No	No	No
Menthol	2216-51-5	No	N/Ap	No	No	No	No	No	No
Quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl , chlorides	63449-41-2	No	N/Ap	No	No	No	No	No	No

Canadian Information:

All components of this product are on the Canadian DSL list. WHMIS Classification: See Section 2.

International Information:

Components listed below are present on the following International Inventory list:



Safetec® Sting Relief

SDS Revision Date (mm/dd/yyyy): 01/18/2024

Page 10 of 11

SAFETY DATA SHEET

<u>Ingredients</u>	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Ethanol	64-17-5	200-578-6	Present	Present	(2)-202	KE-13217	Present	HSR001144
Acetamide, 2- (diethylamino)-N- (2,6-dimethylphenyl)-, monohydrochloride, monohydrate	6108-05-0	N/Av	Present	N/Av	N/Av	N/Av	N/Av	HSR003752
Menthol	2216-51-5	218-690-9	Present	Present	(3)-2333	KE-24409	Present	HSR003330
Quaternary ammonium compounds, benzyl-C8-18-alkyldimet hyl, chlorides	63449-41-2	264-151-6	Present	Present		KE-05-1137	Present	HSR003940

SECTION 16. OTHER INFORMATION

Legend : ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Services

CEPA: Canadian Environmental Protection Act

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

of 1980

CFR: Code of Federal Regulations

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association ICAO: International Civil Aviation Organisation IMDG: International Maritime Dangerous Goods

LC: Lethal Concentration

LD: Lethal Dose MA: Massachusetts MN: Minnesota N/Ap: Not Applicable N/Av: Not Available

NOEC: No observable effect concentration

NTP: National Toxicology Program

OECD: Organisation for Economic Co-operation and Development

OEL: National occupational exposure limits

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit
PPE: Personal Protective Equipment

SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values TWA: Time Weighted Average WEL: Workplace Exposure Limit

: 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents &

Biological Exposure Indices

2. ECHA - European Chemical Agency

3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases

4. Safety Data Sheets from manufacturer.

5. US EPA Title III List of Lists6. California Proposition 65 List

7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal

Preparation Date (mm/dd/yyyy)

References

: 05/15/2017

Reviewed Date SDS (dd/mm/yyyy)

: 18/01/2024



Safetec® Sting Relief

SDS Revision Date (mm/dd/yyyy): 01/18/2024 Page 11 of 11

SAFETY DATA SHEET

Revision No. : 2

Revision Information : 2. HAZARDS IDENTIFICATION 14. TRANSPORT INFORMATION

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

DISCLAIMER

The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. Safetec of America Inc. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this Safety Data Sheet does not apply to use with any other product or in any other process. This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of Safetec of America Inc.

END OF DOCUMENT