

1. Identification of the Substance and Company

VERIFY™ VH2O2 Indicator Tape

Product No. See List Below

SDS No. S298US

Prepared by: M. Ebers

asksteris_msds@steris.com

Date Created: 06/02/2016

Date Revised: 02/19/2018

Date Reviewed: NA

NFPA 704 HAZARD RATING:

HEALTH: 0

FIRE: 0

REACTIVITY: 0

STERIS Corporation, P.O. Box 147, St. Louis, Mo 63166, US
Emergency Telephone No. 1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)
Telephone Number for information: 1-800-548-4873 (Customer Service – Healthcare Products)

STERIS Ireland Limited, IDA Business and Technology Park, Tullamore
County Offaly, R35 X865, Ireland.
Emergency Phone No: +44 (0) 1895 622 639
Product/Technical Information Phone No: +44 (0) 116 276 8636

PRODUCT NAME:	PRODUCT NUMBER:
VERIFY™ VH2O2 Indicator Tape	PCC070
VERIFY™ VH2O2 Indicator Tape – 6 roll box	PCC071
SHIPPING INFORMATION:	NOT RESTRICTED

This product is NOT hazardous according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

The indicator product listed is manufactured in the absence of melamine, lead and heavy metals.

The indicator product listed does not contain components derived from animal sources.

The indicator product listed does not contain natural rubber latex

Indicator Tape Handling and Disposal:

Handling and Storage Precautions: Keep box tightly closed. Store at 16°C (61°F) to 24°C (75 °F) and 30-60% relative humidity.

Waste Disposal Methods: Dispose of used/expired indicators and packaging in trash receptacle in accordance with federal, state, and local regulations.

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.