VI-JON'

SAFETY DATA SHEET

Issuing Date 03-Dec-2021

Revision Date 10-Nov-2020

Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name GERM-X

Other means of identification

Product Code(s) 1515573_HD

Recommended use of the chemical and restrictions on use

Recommended Use Hand sanitizer - Liquid

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Vi-Jon Inc.

Address 8515 Page Avenue

Saint Louis MO 63114 US

Telephone Phone:3144271000

Fax:3144271010

E-mail jstilts@vijon.com

Emergency telephone number

Company Emergency Phone

18004249300

Number

2. HAZARDS IDENTIFICATION

Classification

Flammable liquids Category 2



Appearance Clear

Physical state Viscous liquid Liquid

Odor Alcohol

GHS Label elements, including precautionary statements

Danger

Hazard statements

Highly flammable liquid and vapor



Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating/ lighting/ equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Toxic to aquatic life.

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.



<u>Mixture</u>

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Ethyl alcohol	64-17-5	54.52788	-	-
Water, distilled, conductivity or of similar purity	7732-18-5	44.53478	-	-
Glycerin	56-81-5	0.4975	-	-
Carbomer	9003-01-4	0.18705	-	-
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	NA390	0.15	-	-
Diisopropylamine	108-18-9	0.095221	-	-
tert-Butyl alcohol	75-65-0	0.07088	-	-
Isopropyl myristate	110-27-0	0.05	-	-
Fragrance (Irritating to eyes)	FRAGRANCE	0.035	-	-
Tocopheryl acetate	7695-91-2	0.001	-	-
Denatonium benzoate	3734-33-6	0.000407	-	
Isopropylamine	75-31-0	0.000096	-	-
Isopropyl alcohol	67-63-0	0.000096	-	-
Acetone	67-64-1	0.000096	-	-

4. FIRST AID MEASURES

Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use

personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.



Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge Yes.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other Information Ventilate the area.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing

vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with

sprinklers. Use according to package label instructions.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static



electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name		ACGIH T	LV	08	SHA PEL		NIOSH IDLH
Ethyl alcohol		STEL: 1000			: 1000 ppm	IDL	H: 3300 ppm 10% LEL
64-17-5					1900 mg/m ³		TWA: 1000 ppm
					TWA: 1000 ppm		TWA: 1900 mg/m ³
					WA: 1900 mg/m ³		3
Glycerin		TWA: 10 mg/r	m³ mist	TWA: 15 n	ng/m³ mist, total		
56-81-5					articulate		
				TWA: 5 mg/m³ mist, respirable			
				fraction			
					TWA: 10 mg/m ³		
					tal particulate		
					VA: 5 mg/m ³ mist,		
					able fraction		
Diisopropylamine		TWA: 5 p	pm		/A: 5 ppm		IDLH: 200 ppm
108-18-9		S*			: 20 mg/m ³		TWA: 5 ppm
					d) TWA: 5 ppm		TWA: 20 mg/m ³
					TWA: 20 mg/m ³		
				(va	cated) S*		
					S*		.=
tert-Butyl alcohol		TWA: 100	ppm	TWA: 100 ppm			IDLH: 1600 ppm
75-65-0				TWA: 300 mg/m ³			TWA: 100 ppm
					TWA: 100 ppm		TWA: 300 mg/m ³
					TWA: 300 mg/m ³		STEL: 150 ppm
					STEL: 150 ppm		STEL: 450 mg/m ³
la annanula mina		CTEL.E.	(vacated) STEL: 450 mg/m ³			IDLLI, 750 mm	
Isopropylamine 75-31-0		STEL: 5 p TWA: 2 p			/A: 5 ppm .: 12 mg/m ³		IDLH: 750 ppm
75-31-0		Ι (VA. 2 μ S*	рп		d) TWA: 5 ppm		
		3			TWA: 12 mg/m ³		
					STEL: 10 ppm		
					STEL: 24 mg/m ³		
Isopropyl alcohol		STEL: 400	nnm		\: 400 ppm	IDI F	l: 2000 ppm 10% LEL
67-63-0		TWA: 200			: 980 mg/m ³	100	TWA: 980 mg/m ³
]		1	rr		TWA: 400 ppm		TWA: 400 ppm
					TWA: 980 mg/m ³		STEL: 500 ppm
				(vacated) STEL: 500 ppm			STEL: 1225 mg/m ³
				(vacated) STEL: 1225 mg/m ³			Ŭ
Acetone		STEL = 750) ppm	TWA: 1000 ppm		IDL	H: 2500 ppm 10% LEL
67-64-1		TWA: 500		TWA: 2400 mg/m ³			TWA: 250 ppm
					WA: 1800 mg/m ³		TWA: 590 mg/m ³
					TWA: 750 ppm		
					STEL: 1000 ppm		
		A.II	l p.:		TEL: 2400 mg/m ³	. ,	
Chemical name		Alberta		Columbia	Ontario TWAE		Quebec
Ethyl alcohol		WA: 1000 ppm	STEL: 1	000 ppm	STEL: 1000 pp	m	STEL: 1000 ppm
64-17-5	ΙV	VA: 1880 mg/m ³					



Page 5/14

Glycerin 56-81-5	TWA: 10 mg/m ³	TWA: 10 mg/m ³ TWA: 3 mg/m ³		TWA: 10 mg/m ³
Diisopropylamine 108-18-9	TWA: 5 ppm TWA: 21 mg/m³ Skin	TWA: 5 ppm Skin	TWA: 5 ppm Skin	TWA: 5 ppm TWA: 21 mg/m³ Skin
tert-Butyl alcohol 75-65-0	TWA: 100 ppm TWA: 303 mg/m ³	TWA: 100 ppm	TWA: 100 ppm	TWA: 100 ppm TWA: 303 mg/m ³
Isopropylamine 75-31-0	TWA: 5 ppm TWA: 12 mg/m ³ STEL: 10 ppm STEL: 24 mg/m ³	TWA: 5 ppm STEL: 10 ppm	TWA: 5 ppm STEL: 10 ppm	TWA: 5 ppm TWA: 12 mg/m ³ STEL: 10 ppm STEL: 24 mg/m ³
Isopropyl alcohol 67-63-0	TWA: 200 ppm TWA: 492 mg/m³ STEL: 400 ppm STEL: 984 mg/m³	TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm STEL: 400 ppm	TWA: 400 ppm TWA: 985 mg/m ³ STEL: 500 ppm STEL: 1230 mg/m ³
Acetone 67-64-1	TWA: 500 ppm TWA: 1200 mg/m³ STEL: 750 ppm STEL: 1800 mg/m³	TWA: 250 ppm STEL: 500 ppm	TWA: 250 ppm STEL: 500 ppm	TWA: 500 ppm TWA: 1190 mg/m³ STEL: 1000 ppm STEL: 2380 mg/m³

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

Evewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Wear suitable gloves. Impervious gloves. Hand protection

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties Viscous liquid; Liquid

Physical state

Appearance Clear Odor Alcohol

Color No information available **Odor Threshold** No data available

Remarks Method **Property** Values

7.0

Melting / freezing point No data available None known



None known

Boiling point / boiling range No data available **Flash Point**

None known 22 C / 72 F

Evaporation Rate No data available None known Flammability (solid, gas) No data available None known

Flammability Limit in Air

No data available

Upper flammability limit Lower flammability limit No data available

No data available None known Vapor pressure No data available Vapor density None known

Relative density 0.9

Water Solubility Miscible in water

Solubility(ies) No data available None known

Partition coefficient: n-octanol/water0

Autoignition temperature No data available None known No data available **Decomposition temperature** None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Other Information

No information available **Explosive properties** No information available **Oxidizing properties Softening Point** No information available No information available **Molecular Weight VOC Content (%)** No information available **Liquid Density** No information available **Bulk Density** No information available Particle Size No information available **Particle Size Distribution** No information available

10. STABILITY AND REACTIVITY

No information available. Reactivity

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks.

Incompatible materials None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.



Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity

Acute toxicity

Ingestion

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 12,947.50 mg/kg ATEmix (inhalation-dust/mist) 214.40 mg/L

Unknown acute toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Product Information

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl alcohol	= 7060 mg/kg (Rat)	-	= 116.9 mg/L (Rat) 4 h =
			133.8 mg/L (Rat) 4 h
Water, distilled, conductivity or	> 90 mL/kg (Rat)	-	-
of similar purity			
Glycerin	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 2.75 mg/L (Rat) 4 h
Carbomer	= 2500 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.1 mg/L (Rat) 4 h
Diisopropylamine	= 770 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	= 5.35 mg/L (Rat) 4 h
tert-Butyl alcohol	= 2200 mg/kg (Rat)	> 2 g/kg (Rabbit)	> 10000 ppm (Rat) 4 h
Isopropyl myristate	> 10000 mg/kg (Rat)	= 5 g/kg (Rabbit)	> 41 mg/L (Rat) 1 h
Tocopheryl acetate	-	> 3000 mg/kg (Rat)	-
Denatonium benzoate	= 584 mg/kg (Rat)	> 2000 mg/kg (Rat)	= 0.2 mg/L (Rat) 4 h
Isopropylamine	= 111 mg/kg (Rat)	= 382 mg/kg (Rat)	= 8.7 mg/L (Rat) 4 h
Isopropyl alcohol	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat) 6 h
Acetone	= 5800 mg/kg (Rat)	> 15700 mg/kg (Rabbit)	= 50100 mg/m ³ (Rat) 8 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol 64-17-5	A3	Group 1	Known	Х
Carbomer	-	Group 3	-	-



9003-01-4				
Isopropyl alcohol	-	Group 3	-	X
67-63-0				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethyl alcohol	No data available	96h LC50: 12.0 - 16.0 mL/L (Oncorhynchus mykiss) 96h LC50: 13400 - 15100 mg/L (Pimephales promelas) 96h LC50: > 100 mg/L (Pimephales promelas)	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	48h LC50: 9268 - 14221 mg/L (Daphnia magna) 48h EC50: = 2 mg/L (Daphnia magna)
Glycerin	No data available	96h LC50: 51 - 57 mL/L (Oncorhynchus mykiss)	No data available	No data available
Carbomer	No data available	96h LC50: = 580 mg/L (Lepomis macrochirus)	No data available	No data available
Diisopropylamine	96h EC50: = 20 mg/L (Pseudokirchneriella subcapitata)	96h LC50: 150 - 223 mg/L (Brachydanio rerio) 96h LC50: 420 - 560 mg/L (Oryzias latipes) 96h LC50: = 1000 mg/L (Poecilia reticulata) 96h LC50: = 37 mg/L (Oncorhynchus mykiss)	No data available	No data available
tert-Butyl alcohol	72h EC50: > 1000 mg/L (Desmodesmus subspicatus)	96h LC50: 6130 - 6700 mg/L (Pimephales promelas)	EC50 > 10000 mg/L 17 h	48h EC50: 4607 - 6577 mg/L (Daphnia magna) 48h EC50: = 933 mg/L (Daphnia magna)
Isopropyl myristate	72h EC50: > 100 mg/L (Desmodesmus subspicatus)	96h LC50: = 8400 mg/L (Brachydanio rerio)	No data available	48h EC50: = 100 mg/L (Daphnia magna)
Tocopheryl acetate	No data available	96h LC50: > 100 mg/L (Oncorhynchus mykiss)	No data available	No data available
Isopropylamine	96h EC50: = 1.2 mg/L	96h LC50: = 310 mg/L	EC50 = 99 mg/L 17 h	48h EC50: = 20.8 mg/L



	(Desmodesmus subspicatus) 72h EC50: = 4.13 mg/L (Desmodesmus subspicatus) 96h EC50: = 62.5 mg/L (Pseudokirchneriella subcapitata)	(Pimephales promelas)		(Daphnia magna)
Isopropyl alcohol	72h EC50: > 1000 mg/L (Desmodesmus subspicatus) 96h EC50: > 1000 mg/L (Desmodesmus subspicatus)	96h LC50: = 11130 mg/L (Pimephales promelas) 96h LC50: = 9640 mg/L (Pimephales promelas) 96h LC50: > 1400000 µg/L (Lepomis macrochirus)	No data available	48h EC50: = 13299 mg/L (Daphnia magna)
Acetone	No data available	96h LC50: 4.74 - 6.33 mL/L (Oncorhynchus mykiss) 96h LC50: 6210 - 8120 mg/L (Pimephales promelas) 96h LC50: = 8300 mg/L (Lepomis macrochirus)	EC50 = 14500 mg/L 15 min	48h EC50: 10294 - 17704 mg/L (Daphnia magna) 48h EC50: 12600 - 12700 mg/L (Daphnia magna)

Persistence and Degradability

No information available.

Bioaccumulation

Component Information

- Component micromation	
Chemical name	Partition coefficient
Ethyl alcohol	-0.32
Glycerin	-1.76
tert-Butyl alcohol	0.35
Isopropyl myristate	6
Isopropylamine	0.26
Isopropyl alcohol	0.05
Acetone	-0.24

MobilityNo information available.Other adverse effectsNo information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld

containers.

US EPA Waste Number D001

California Waste Codes 311



This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Ethyl alcohol	Toxic
64-17-5	Ignitable
Isopropylamine	Toxic
75-31-0	Ignitable
Isopropyl alcohol	Toxic
67-63-0	Ignitable
Acetone	Ignitable
67-64-1	

14. TRANSPORT INFORMATION

DOT

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTIONS

Hazard Class 3
Packing Group III

Description UN1170, ETHANOL SOLUTIONS, 3, III, LTD QTY

Emergency Response Guide 127

Number

TDG

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III

Description UN1170, ETHANOL SOLUTION, 3, III, LTD QTY

MEX

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III

Description UN1170, ETHANOL SOLUTION, 3, III

<u>ICAO</u>

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III

Description UN1170, ETHANOL SOLUTION, 3, III

<u>IATA</u>

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III
ERG Code 3L

Description UN1170, ETHANOL SOLUTION, 3, III

IMDG/IMO

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III
EmS-No. F-E, S-D



Description UN1170, ETHANOL SOLUTION, 3, III, (22°C C.C.)

RID

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III
Classification code F1

Description UN1170, ETHANOL SOLUTION, 3, III

ADR/RID-Labels 3

ADR

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III
Classification code F1
Tunnel restriction code (D/E)

Description UN1170, ETHANOL SOLUTION, 3, III, (D/E)

ADN

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III
Classification code F1
Special Provisions 144, 601

Description UN1170, ETHANOL SOLUTION, 3, III

Hazard Labels 3
Limited Quantity 5 L
Ventilation VE01

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA

Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances



PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
tert-Butyl alcohol - 75-65-0	75-65-0	0.07088	1.0
Isopropyl alcohol - 67-63-0	67-63-0	0.00096	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Carbomer		X		
9003-01-4				

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Acetone 67-64-1	5000 lb		RQ= 2270 kg final RQ RQ= 5000 lb final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65	
Ethyl alcohol - 64-17-5	Carcinogen	
	Developmental	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Ethyl alcohol 64-17-5	Х	Х	Х		Х
Glycerin 56-81-5	Х	Х	Х	Х	
Carbomer 9003-01-4	Х				



Diisopropylamine 108-18-9	X	Х	Х		
tert-Butyl alcohol 75-65-0	X	X	X	X	
Isopropylamine 75-31-0	X	X	X		
Isopropyl alcohol 67-63-0	Х	X	X	X	
Acetone 67-64-1	Х	Х	Х	Х	

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 3 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 1 Flammability 3 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 03-Dec-2021

Revision Date 10-Nov-2020

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

