

Safety Data Sheet
acc. to OSHA HCS

Date Prepared: 03/26/2014

Reviewed On: 03/26/2014

1 Identification

- **Product Identifier**
- **Product Name:** TB Potassium Permanganate
- **Catalog Number:** 212513
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** In-vitro Diagnostics
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
BD Diagnostic Systems
7 Loveton Circle
Sparks, MD 21152
Telephone: (410) 771 - 0100 or (800) 638 – 8663
Email Address: Technical_Services@bd.com
- **Information Department:** Technical Service
- **Emergency telephone number:**
In case of a chemical emergency, spill, fire, exposure, or accident, contact BD Diagnostic Systems (410) 771-0100 or (800)-638-8663, or ChemTrec at (800) 424-9300.

2 Hazard(s) identification

- **Classification of the substance or mixture**

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

-
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

- **Classification system:**

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

-
- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**

GHS07

- **Signal word** Warning

- **Hazard statements**

H315 Causes skin irritation.

(Contd. on page 2)

Date Prepared: 03/26/2014

Reviewed On: 03/26/2014

Product Name: TB Potassium Permanganate

(Contd. of page 1)

H319 Causes serious eye irritation.

Precautionary statements

- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P264 Wash thoroughly after handling.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P321 Specific treatment (see on this label).
- P362 Take off contaminated clothing and wash before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P302+P352 IF ON SKIN: Wash with plenty of soap and water.

NFPA ratings (scale 0-4)

 Health = 1
 Flammability = 0
 Reactivity = 0

HMIS ratings (scale 0-4)

 Health = 1
 Flammability = 0
 Reactivity = 0

Other hazards
Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixture

 · **Description:** Mixture consisting of the following components.

Dangerous Components:

CAS: 7722-64-7	potassium permanganate	Xn R22; O R8; N R50/53	0.5%
EINECS: 231-760-3			

 · **Additional information** Risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures
General information

Symptoms of poisoning may even occur after several hours; therefore provide medical observation for at least 48 hours after the accident.

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact**
Rinse opened eye for 15 minutes under running water. Then consult a doctor.

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Date Prepared: 03/26/2014

Reviewed On: 03/26/2014

Product Name: TB Potassium Permanganate

(Contd. of page 2)

- **After swallowing** Call a doctor immediately.
- **Information for doctor** Show this product label or this MSDS.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**
CO₂, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
In certain fire conditions, traces of other toxic gases cannot be excluded.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Wipe up with damp sponge or mop.
- **Methods and material for containment and cleaning up:** No special measures required.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**
No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** 15 - 30 °C
- **Information about storage in one common storage facility:**
Store away from oxidizing agents.
- **Further information about storage conditions:**
Store in cool, dry conditions in well sealed containers.
- **Specific end use(s)** No further relevant information available.

US

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Date Prepared: 03/26/2014

Reviewed On: 03/26/2014

Product Name: TB Potassium Permanganate

(Contd. of page 3)

8 Exposure controls/personal protection**· Additional information about design of technical systems:**

No further data; see Section 7.

· Control parameters**· Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the creation were used as basis.**· Exposure controls****· Personal Protective Equipment****· General protective and hygienic measures**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.

· Protection of hands:

Chemical resistant gloves (i.e. nitrile, or equivalent).

· Eye protection: Safety glasses**· Body protection:** Protective work clothing (lab coat).**9 Physical and chemical properties****· Information on basic physical and chemical properties****· General Information****· Appearance:****Form:** Liquid**Color:** Brown**· Odor:** Characteristic**· Change in condition****Melting point/Melting range:** Not determined**Boiling point/Boiling range:** Not determined**· Flash point:** Not applicable**· Danger of explosion:** Product does not present an explosion hazard.**· Density:** Not determined

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Date Prepared: 03/26/2014

Reviewed On: 03/26/2014

Product Name: TB Potassium Permanganate

(Contd. of page 4)

- | | |
|--|--|
| · Solubility in / Miscibility with Water: | Soluble |
| · Solvent content: | |
| Organic solvents: | 0.0 % |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**
Incompatible material: strong oxidizers.
Incompatible materials: AL4C3, AS, DMSO, ethylene glycol, glycerin, H2O2, H2S3, HCL, H2SO4, ammonia, NO3, P, S, Sb, Ti, organic matter.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:****7722-64-7 potassium permanganate**

Oral LD50 1090 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

(Contd. on page 6)



Safety Data Sheet acc. to OSHA HCS

Page 6/9

Date Prepared: 03/26/2014

Reviewed On: 03/26/2014

Product Name: TB Potassium Permanganate

(Contd. of page 5)

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Water hazard class 2 (Self-assessment): hazardous for water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.
This product is not considered a RCRA hazardous waste.
Must not be disposed of with solid waste.
- **Uncleaned packagings:**
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|-------------------------------------|------|
| · UN-Number | |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name | |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · DOT, ADR, ADN, IMDG, IATA | |
| · Class | Void |

(Contd. on page 7)

US

**Safety Data Sheet**
acc. to OSHA HCS

Date Prepared: 03/26/2014

Reviewed On: 03/26/2014

Product Name: TB Potassium Permanganate

(Contd. of page 6)

- | | |
|--|-----------------|
| · Packing group | |
| · DOT, ADR, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | - |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **SARA Section 355 (extremely hazardous substances)**

None of the ingredients is listed.

- **SARA Section 313 (specific toxic chemical listings)**

7722-64-7 | potassium permanganate

- **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

- **California Proposition 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 8)

US



Safety Data Sheet acc. to OSHA HCS

Date Prepared: 03/26/2014

Reviewed On: 03/26/2014

Product Name: TB Potassium Permanganate

(Contd. of page 7)

· Hazard pictograms

GHS07

· Signal word Warning**· Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P362 Take off contaminated clothing and wash before reuse.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

· National regulations**· Additional classification according to Decree on Hazardous Materials:**CERCLA: This product contains potassium Permanganate which has a
Reporting Quantity (RQ) of 100 lbs.

SARA 311/312: May be subject to reporting.

313: Not subject to reporting.

TSCA: This product is exempt under TSCA.

· Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards that exist.

· Department issuing MSDS:

Environmental, Health & Safety

Created by Michael J. Spinazzola

· Contact: Technical Service Representative**· Date of preparation / last revision** 03/26/2014 / -**· Abbreviations and acronyms:**RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer
(Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 9)

US



Safety Data Sheet acc. to OSHA HCS

Date Prepared: 03/26/2014

Reviewed On: 03/26/2014

Product Name: TB Potassium Permanganate

(Contd. of page 8)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

US