

CS Medical LLC 2179 East Lyon Station Rd. Creedmoor, NC 27522

Customer Service: Phone (919) 255-9472

FAX (919) 528-3400

CHEMTREC Emergency Response Telephone Number: (800) 424-9300, outside the US (703) 527-3887.

Note: The CHEMTREC phone number is only for emergencies involving spills, leaks, fire, exposure or accident. Please direct all other inquiries to our customer service phone number.

#### Section I - Product Identification

An aqueous, buffered, germicide, glutaraldehyde solution. Slightly acidic pH (The pH is about the same as distilled water).

#### Section II - Hazards Identification

**Overview**: May be harmful if swallowed. Irritating to skin eyes and respiratory tract. **Safety Ratings** 

Health: Hazardous Flammability: None Reactivity: None Contact: Slight Recommended safety equipment: safety goggles, lab coat and proper gloves

Storage: General storage

NFPA Ratings

Health = 2 Flammability = 0 Reactivity = 0

# 200

#### **Potential Health Effects**

The toxicology of this compound has not been completely examined. It is presumed that the toxicity of this item is similar to other aldehydes. *Inhalation*: Irritating to respiratory tract. May cause asthma like symptoms in sensitive individuals.

*Ingestion*: Can cause irritation and chemical burns to the mouth, throat, esophagus and stomach. Can also cause nausea, vomiting, diarrhea, etc.

Skin contact. May cause skin irritation or aggravation of existing dermatitis. May cause temporary discoloration of the skin.

Eye contact: Vapors may cause stinging sensation and tearing. Solution contact can cause corneal injury that can cause visual impairment if not dealt with immediately.

Chronic Exposure: May be a sensitizer in some individuals.

Aggravation of preexisting conditions: May aggravate preexisting asthma and other lung diseases.

## Section III - Composition/Information on Components

| Glutaraldehyde 11-30-8 0.2 ppm 0.05 ppm None 2.65% | Ingredients    | CAS#    | OSHA Pel | ACGIH TLV | Other Limits | % w/v |
|--|----------------|---------|----------|-----------|--------------|-------|
|  | Glutaraldehyde | 11-30-8 | 0.2 ppm  | 0.05 ppm  | None         | 2.65% |

TD-5 also contains proprietary buffers, surfactants and defoamers.

# **Section IV - First Aid Measures**

Inhalation: Remove from source of exposure and get medical attention for any breathing difficulty.

Note to Physician: Probable mucosal damage from oral exposure may contraindicate gastric lavage.

**Skin Contact**: Remove contaminated clothing and wash affected area with soap and water. Get medical advice if irritation develops. Wash or discard contaminated clothing before reuse.

Eye Contact: Immediately flush thoroughly with running water for at least 15 minutes. Get immediate medical advice.

## Section V - Fire Fighting Measures

Flash point: Not applicable. Explosion: Not Normally an explosion hazards.

Flammable Limits: Not applicable. Fire Extinguishing Media: Any means suitable for surrounding fire. Fire: Not normally a fire hazard. Special information: Pyrolysis will release carbon monoxide.

## Section VI - Accidental Release Measures

Wear appropriate protective gear such as gloves, apron and protective eyewear. Absorb with a suitable absorbent (such as paper towels) and store in a suitable container for disposal. Large spills may be neutralized with sodium bisulfite (about 230 g/gallon), glycine or ammonia.

# Section VII - Handling and Storage

Store in a closed container at controlled room temperature, 59°F to 86°F (15°C to 30°C). Solution that is being reused should be stored in a tightly closed container and used in a room with adequate ventilation (i.e. at least ten changes of air per hour).

1 of 2 200441 F

#### Section VIII - Exposure Control/Personal Protection

Airborne Exposure Limits: See section II

**Ventilation System:** Use appropriate ventilation. If the vapor is irritating to the eyes and nose the threshold limit value is probably exceeded and additional ventilation may be needed. When required, Refer to the ACGIH document, "Industrial Ventilation, a Manual of Recommended Practices" for details about ventilation.

**Personal Respirator**: Not required unless the threshold limit value for glutaraldehyde is exceeded. In case of emergency, or when exposure levels are unknown, use a half face or full face respirator that is NIOSH approved with organic vapor cartridges.

**Skin protection**: Chemical resistant gloves are recommended. Latex gloves are not impervious to glutaraldehyde and are not as appropriate as nitrile gloves.

Eye Protection: Laboratory safety goggles, safety glasses or face shield are required.

## **Section IX - Physical and Chemical Properties**

Boiling Point: 100°CDensity: About 1.01 g/mlVapor pressure (mm Hg): 18 @ 20°CEvaporation Rate (water = 1): 1Vapor Density (air = 1): 0.6Solubility: Infinitely miscible with water

Appearance and Odor: A clear, yellowish liquid with the characteristic odor of glutaraldehyde.

#### Section X - Stability and Reactivity

Stability: Freezes at low temperature.

Hazardous Decomposition Products: Nothing unusual.

Hazardous polymerization: Will not occur.

Incompatibilities: Nothing unusual.

Conditions to avoid: Excessive cold/heat and light. High pH catalyses an aldol type polymerization that is exothermic but not expected to be violent.

## **Section XI - Toxicological Information**

**Toxicity:** The chronic toxicity of this product is unknown but may include sensitization in sensitive individuals. The toxic effects of glutaraldehyde are believed to be the result of its ability to cross link proteins, which is the same property responsible for its antimicrobial effect. The manufacturer is unaware of any target organ toxicity.

**Mutagenicity:** CS Medical is unaware of any evidence that the product is mutagenic or teratogenic. However the effects of these products, glutaraldehyde based disinfectants, are not well investigated and we recommend that pregnant customers use an abundance of caution with these products.

Oral LD50 for rats = 134 mg/kg for pure glutaraldehyde Oral LD50 for mouse = 100 mg/kg for pure glutaraldehyde

Cancer lists

TD-5 is not a carcinogen or suspected carcinogen.

| Ingredient     | Known Carcinogenicity? | NTP? | Anticipated? | IARC Category |
|----------------|------------------------|------|--------------|---------------|
| glutaraldehyde | No                     | No   | No           | None          |

# Section XII - Ecological Information

**Environmental Fate:** Biodegradable, TD-5 is biodegradable when diluted to a level such that it is not microbiocidal. **Environmental Toxicity:** None known.

# Section XIII - Disposal

Normally not restricted but local governments may restrict the amounts of aldehydes that can be flushed down the drain. In localities where drain disposal is restricted the product may often be neutralized with glycine or sodium bisulfite and then flushed down drain. Insure compliance with all government regulation.

## Section XIV - Transportation information

Not Regulated.

## Section XV - Regulatory Information

## **Chemical Inventory Status**

| Ingredient     | TSCA | EC  |
|----------------|------|-----|
| Glutaraldehyde | Yes  | Yes |
|                |      |     |

# Federal, State and International Regulations

| SARA 302 SARA 313 |    | 313 | RCRA TSCA |          |        |      |
|-------------------|----|-----|-----------|----------|--------|------|
| Ingredient        | RQ | TPQ | List      | Category | 261.33 | 8(D) |
| Glutaraldehvde    | No | No  | No        | No       | No     | No   |

Chemical Weapons Conventions: No TSCA 12(b): No

CDTA: No

SARA 311/312: Acute: None, Chronic: None

### Section XVI - Other Information

This information is believed to be correct but is not warranted as such, nor does it purport to be all-inclusive. Prepared by: B.C. Last Reviewed: Oct 13, 2014.

2 of 2 200441 F