

# SOLID ALUMINUM-SAFE ALKALINE DETERGENT

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : SOLID ALUMINUM-SAFE ALKALINE DETERGENT

Other means of identification : not applicable

Recommended use : Instrument cleaner

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.2 % - 0.7 %

Company : Ecolab Inc.

370 N. Wabasha Street

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency telephone : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 03/21/2014

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

**Product AS SOLD** 

Skin irritation : Category 2 Eye irritation : Category 2A

### **Product AT USE DILUTION**

Not a hazardous substance or mixture.

### **GHS Label element**

**Product AS SOLD** 

Hazard pictograms



Signal Word : Warning

Hazard Statements : Causes skin irritation.

Causes serious eye irritation.

Precautionary Statements : **Prevention:** 

Wash skin thoroughly after handling. Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.

Response:

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

**Product AT USE DILUTION** 

Precautionary Statements : Prevention:

910654-02 1 / 10

## SOLID ALUMINUM-SAFE ALKALINE DETERGENT

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

Other hazards : None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Product AS SOLD** 

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration (%)

urea 57-13-6 30 - 60 alcohols, c13-15-branched and linear, butoxylated 111905-53-4 10 - 30

ethoxylated

### **Product AT USE DILUTION**

No hazardous ingredients

### **SECTION 4. FIRST AID MEASURES**

**Product AS SOLD** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Get medical attention if irritation develops and

persists.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

**Product AT USE DILUTION** 

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

See toxicological information (Section 11)

## **SECTION 5. FIRE-FIGHTING MEASURES**

**Product AS SOLD** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

910654-02 2 / 10

# SOLID ALUMINUM-SAFE ALKALINE DETERGENT

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Carbon oxides

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### **Product AS SOLD**

Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to

protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain

material to ensure runoff does not reach a waterway.

**Product AT USE DILUTION** 

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain

material to ensure runoff does not reach a waterway.

# **SECTION 7. HANDLING AND STORAGE**

**Product AS SOLD** 

Advice on safe handling : Avoid contact with skin and eyes. Do not ingest. Wash hands

thoroughly after handling. Use only with adequate ventilation.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in

suitable labeled containers.

Storage temperature : -10 °C to 30 °C

910654-02 3 / 10

# SOLID ALUMINUM-SAFE ALKALINE DETERGENT

**Product AT USE DILUTION** 

Advice on safe handling : For personal protection see section 8. Wash hands after handling.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in

suitable labeled containers.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Product AS SOLD**

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
urea	57-13-6	TWA	10 mg/m3	WEEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Due to the form and packaging of the product, no protective

equipment is needed under normal use conditions.

Hand protection : Due to the form and packaging of the product, no protective

equipment is needed under normal use conditions.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

**Product AT USE DILUTION** 

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Product AS SOLD Product AT USE DILUTION

9

Appearance : Cast Solid liquid
Color : opaque, light orange orange
Odor : odorless odorless

pH : 9.6 - 11.5, 1 %

910654-02 4 / 10

# SOLID ALUMINUM-SAFE ALKALINE DETERGENT

Flash point : not applicable Odor Threshold : no data available Melting point/freezing point : no data available Initial boiling point and : no data available

boiling range

: no data available Evaporation rate Flammability (solid, gas) : no data available Upper explosion limit : no data available Lower explosion limit : no data available Vapor pressure : no data available Relative vapor density : no data available Relative density : no data available Water solubility : no data available Solubility in other solvents : no data available Partition coefficient: n-: no data available

octanol/water

Autoignition temperature : no data available Thermal decomposition : no data available Viscosity, kinematic : no data available Explosive properties no data available Oxidizing properties : no data available Molecular weight : no data available VOC : no data available

## **SECTION 10. STABILITY AND REACTIVITY**

**Product AS SOLD** 

: Stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

: Acids Incompatible materials

Metals

Hazardous decomposition

products

: Carbon oxides

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Eye contact, Skin contact

exposure

**Potential Health Effects** 

**Product AS SOLD** 

Eyes : Causes serious eye irritation.

910654-02 5/10

## SOLID ALUMINUM-SAFE ALKALINE DETERGENT

Skin : Causes skin irritation.

Ingestion : Health injuries are not known or expected under normal use.

: Health injuries are not known or expected under normal use. Inhalation

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION** 

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion Health injuries are not known or expected under normal use.

Inhalation Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

## **Experience with human exposure**

**Product AS SOLD** 

Eye contact : Redness, Pain, Irritation

Skin contact : Redness, Irritation

: No information available. Ingestion

Inhalation : No symptoms known or expected.

**Product AT USE DILUTION** 

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion No symptoms known or expected.

Inhalation : No symptoms known or expected.

## **Toxicity**

**Product AS SOLD** 

: Acute toxicity estimate : > 5,000 mg/kg Acute oral toxicity

: no data available Acute inhalation toxicity : no data available Acute dermal toxicity : no data available Skin corrosion/irritation Serious eye damage/eye : no data available

irritation

Respiratory or skin

: no data available

sensitization

Carcinogenicity : no data available Reproductive effects : no data available Germ cell mutagenicity : no data available Teratogenicity : no data available

910654-02 6/10

# SOLID ALUMINUM-SAFE ALKALINE DETERGENT

STOT-single exposure : no data available STOT-repeated exposure : no data available Aspiration toxicity : no data available

Ingredients

Acute inhalation toxicity : urea

4 h LC50 rat: > 2.71 mg/l

Ingredients

Acute dermal toxicity : urea

LD50 rat: 8,200 mg/kg

alcohols, c13-15-branched and linear, butoxylated ethoxylated

LD50 rat: > 2,000 mg/kg

### **SECTION 12. ECOLOGICAL INFORMATION**

Product AS SOLD Ecotoxicity

Environmental Effects : Toxic to aquatic life.

**Product** 

Toxicity to fish : no data available

Toxicity to daphnia and other : no data available

aquatic invertebrates

Toxicity to algae : no data available

Ingredients

Toxicity to fish : urea

96 h LC50 Fish: 127.9 mg/l

alcohols, c13-15-branched and linear, butoxylated ethoxylated

96 h LC50 Fish: 5 mg/l

Persistence and degradability

no data available

**Bioaccumulative potential** 

no data available

Mobility in soil

no data available

Other adverse effects

no data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Product AS SOLD** 

Disposal methods : The product should not be allowed to enter drains, water courses or

the soil. Where possible recycling is preferred to disposal or

incineration. If recycling is not practicable, dispose of in compliance

910654-02 7 / 10

# SOLID ALUMINUM-SAFE ALKALINE DETERGENT

with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not re-

use empty containers.

**Product AT USE DILUTION** 

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local

regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not re-

use empty containers.

### **SECTION 14. TRANSPORT INFORMATION**

### **Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

### Land transport (DOT)

Not dangerous goods

### Sea transport (IMDG/IMO)

Not dangerous goods

### **Product AT USE DILUTION**

Not intended for transport.

### **SECTION 15. REGULATORY INFORMATION**

### **Product AS SOLD**

### **EPCRA - Emergency Planning and Community Right-to-Know**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : SARA 313: This material does not contain any chemical components

with known CAS numbers that exceed the threshold (De Minimis)

reporting levels established by SARA Title III, Section 313.

### California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

910654-02 8 / 10

## SOLID ALUMINUM-SAFE ALKALINE DETERGENT

The ingredients of this product are reported in the following inventories:

## 1907/2006 (EU):

not determined

### Switzerland. New notified substances and declared preparations :

not determined

### **United States TSCA Inventory:**

On TSCA Inventory

### Canadian Domestic Substances List (DSL):

This product contains one or several components that are not on the Canadian DSL nor NDSL.

## Australia Inventory of Chemical Substances (AICS):

not determined

## New Zealand. Inventory of Chemical Substances:

not determined

### Japan. ENCS - Existing and New Chemical Substances Inventory:

not determined

### Japan. ISHL - Inventory of Chemical Substances (METI) :

not determined

## Korea. Korean Existing Chemicals Inventory (KECI):

not determined

### Philippines Inventory of Chemicals and Chemical Substances (PICCS):


not determined

### China. Inventory of Existing Chemical Substances in China (IECSC):

not determined

## **SECTION 16. OTHER INFORMATION**

## **Product AS SOLD** NFPA:



## HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0


0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

## **Product AT USE DILUTION**

910654-02 9/10

# SOLID ALUMINUM-SAFE ALKALINE DETERGENT



Issuing date : 03/21/2014

Version : 1.1

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

910654-02 10 / 10