

# SAFETY DATA SHEET

Creation Date 11-Jan-2011 Revision Date 20-May-2015 Revision Number 1

1. Identification

Product Name Fisherbrand® LIMEONDEX™

Cat No.: 401009FB, 401025FB, 401074FB

Synonyms Glucose Tolerance Beverage; Glucose Tolerance Test Beverage

**Recommended Use** Oral consumption only.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company Emergency Telephone Number

Fisher Diagnostics Chemtrec US: (800) 424-9300 A Division of Fisher Scientific Company, LLC Chemtrec EU: 001 (202) 483-7616

A Part of Thermo Fisher Scientific, Inc.

8365 Valley Pike

Middletown, VA 22645-1905

Tel: (800) 528-0494

# 2. Hazard(s) identification

### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Based on available data, the classification criteria are not met

### Label Elements

None required

### Hazards not otherwise classified (HNOC)

None identified

# 3. Composition / information on ingredients

Component	CAS-No	Weight %		
Water	7732-18-5	50-80%		
Liquid Dextrose	8029-43-4	20-45%		
Sodium benzoate	532-32-1	< 0.5%		

#### Fisherbrand® LIMEONDEX™

Citric acid	77-92-9	< 0.5%
Lemon-Lime Flavoring	NA	< 0.5%

### 4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Flush eyes with water as a precaution.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen.

**Ingestion** Do not induce vomiting. Obtain medical attention.

Most important symptoms/effectsNo information available.Notes to PhysicianTreat symptomatically

### 5. Fire-fighting measures

Suitable Extinguishing Media Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Unsuitable Extinguishing Media No information available

Flash Point Not applicable

Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

### Specific Hazards Arising from the Chemical

None known.

#### **Hazardous Combustion Products**

None under normal use conditions

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards00N/A

### 6. Accidental release measures

dust/fume/gas/mist/vapors/spray.

**Environmental Precautions** Should not be released into the environment. See Section 12 for additional ecological

information.

**Methods for Containment and Clean** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up** 

	7. Handling and storage
Handling	Ensure adequate ventilation. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep at **Storage** 

temperatures between 2° and 30 °C.

## 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

**Engineering Measures** Ensure that eyewash stations and safety showers are close to the workstation location.

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Wear appropriate protective eveglasses or chemical safety googles as described by **Eye/face Protection** 

OSHA's eve and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Wear appropriate protective gloves and clothing to prevent skin exposure. Skin and body protection

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Liquid **Physical State** Colorless **Appearance** 

No information available Odor **Odor Threshold** No information available

No information available рΗ Melting Point/Range No data available

**Boiling Point/Range** No information available Not applicable

Flash Point

**Evaporation Rate** No information available Flammability (solid, gas) No information available

Flammability or explosive limits

No data available Upper Lower No data available

**Vapor Pressure** No information available approx 1 (Water = 1.0) **Vapor Density** 

**Specific Gravity** > 1

No information available Solubility Partition coefficient; n-octanol/water No data available No information available **Autoignition Temperature** 

No information available **Decomposition Temperature Viscosity** No information available

## 10. Stability and reactivity

**Reactive Hazard** None known, based on information available

Stability Stable under normal conditions.

**Conditions to Avoid** Excess heat.

Incompatible Materials None known

Hazardous Decomposition Products None under normal use conditions

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

Product Information No acute toxicity information is available for this product

Oral LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Vapor LC50

Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Water	LD50 > 90 mL/kg (Rat)	Not listed	Not listed		
Sodium benzoate	LD50 = 4070 mg/kg ( Rat )	Not listed	Not listed		
Citric acid LD50 = 3 g/kg (Ra LD50 = 3000 mg/kg (		>2 g/kg ( Rat )	Not listed		

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed	
Liquid Dextrose	8029-43-4	Not listed Not listed					
Sodium benzoate	532-32-1	Not listed	Not listed	Not listed	Not listed	Not listed	
Citric acid	Citric acid 77-92-9 Not listed		Not listed	Not listed	Not listed	Not listed	
Lemon-Lime Flavoring	NA	Not listed	Not listed	Not listed	Not listed	Not listed	

Mutagenic Effects No information available

**Reproductive Effects** No information available.

**Developmental Effects**No information available.

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delaved

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

### **Ecotoxicity**

Component	Component Freshwater Algae		component Freshwater Algae Freshwater Fish		Microtox	Water Flea		
Sodium benzoate	Not listed	LC50: > 100 mg/L, 96h static (Pimephales promelas) LC50: 420 - 558 mg/L, 96h flow-through (Pimephales promelas)	EC50 = 500 mg/L 24 h	EC50: < 650 mg/L, 48h (Daphnia magna)				
Citric acid	Not listed	Leuciscus idus: LC50 = 440-760 mg/L/96h	Photobacterium phosphoreum: EC50 = 14 mg/L/15 min	EC50 = 120 mg/L/72h				

Persistence and Degradability **Bioaccumulation/ Accumulation**  No information available No information available.

#### Mobility

Component	log Pow	
Sodium benzoate	-2.13	
Citric acid	-1.72	

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14.	Transport	information
-----	-----------	-------------

DOT Not regulated TDG Not regulated **IATA** Not regulated Not regulated IMDG/IMO

## 15. Regulatory information

#### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Water	Х	Χ	-	231-791-2	-		Χ	-	Χ	Х	Χ
Liquid Dextrose	Χ	Χ	-	232-436-4	-		Χ	Χ	Χ	Х	Χ
Sodium benzoate	Х	Х	-	208-534-8	-		Х	Χ	Х	Х	Χ
Citric acid	Х	Х	-	201-069-1	-		Х	Х	Х	Х	Х

#### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazard Categories

Acute Health Hazard

Chronic Health Hazard

No
Fire Hazard

No
Sudden Release of Pressure Hazard

No
Reactive Hazard

No

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration

Not applicable

**CERCLA** 

Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

Not applicable

U.S. State Right-to-Know

Regulations

L	Component	onent Massachusetts New Jersey		Pennsylvania	Illinois	Rhode Island
	Water	-	-	X	-	-

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class Non-controlled

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 11-Jan-2011

 Revision Date
 20-May-2015

 Print Date
 20-May-2015

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

**Disclaimer** 

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of SDS**